

Научном већу Математичког института САНУ

Директору Математичког института САНУ

Руководиоцу пројекта ОИ 174001

Извештај са научног скупа  
„9th European Nonlinear Dynamics Conference” (ENOC 2017)  
у организацији Европског друштва за механику

Поштовани,

од 25. до 30. јуна 2017. године одржана је конференција под називом „9th European Nonlinear Dynamics Conference” (ENOC 2017) у Будимпешти, Мађарска, чији организатор је Европско друштво за механику (EUROMECH). На конференцији сам учествовао са усменим саопштењем рада на минисимпозијуму „Fractional derivatives“ са радом под називом „COMBINED RESONANCE OF A NONLOCAL NANOBEAM ON FRACTIONAL PASTERNAK-TYPE VISCOELASTIC FOUNDATION“, где је председавајући секције била др Dana Sorot. Коаутори на овом раду су др Данило Карличић и проф. Михаило Лазаревић. Такође, као други аутор учествовао сам са радом у постер секцији под називом „NONLINEAR DYNAMICS OF A FUNCTIONALLY GRADED NONLOCAL NANOBEAM IN THERMAL ENVIRONMENT BY USING INCREMENTAL HARMONIC BALANCE AND MELNIKOV METHOD“ који је презентовао први аутор рада др Данило Карличић.

На конференцији је учествовало преко 400 истраживача од којих осам истраживача из Србије и пет истраживача са пројекта ОИ 174001 укључујући и руководиоца пројекта. Конференција је организована у 21 минисимпозијума а председници организационог одбора били су проф. Gábor Stépán и проф. Giuseppe Rega. Области које је покривала су: моделирање и методе у нелинеарној динамици, примена фракционог рачуна на проблеме механике, квалитативна и квантитативна анализа нелинеарних динамичких система, нелинеарна динамика континуалних, дисконтинуалних и хибридних система, бифуркација и хаос, нелинеарни стохастички системи, нелинеарни динамички феномени, проблеми управљања осцилацијама и хаосом, примена механике на више скала и у реалним инжењерским проблемима из области грађевинарства, електронике, механике, медицине, материјала, комуникација и др. Такође, конференција је обухватала и мултидисциплинарне теме из примењене математике, физике, биофизике, генетике, нанотехнологија, финансија, медицине и гео-наука.

Након мог излагања рада „COMBINED RESONANCE OF A NONLOCAL NANOBEAM ON FRACTIONAL PASTERNAK-TYPE VISCOELASTIC FOUNDATION“ није било дискусије и питања из публике.

Други рад под насловом „NONLINEAR DYNAMICS OF A FUNCTIONALLY GRADED NONLOCAL NANOBEAM IN THERMAL ENVIRONMENT BY USING INCREMENTAL HARMONIC BALANCE AND MELNIKOV METHOD“ је на постер секцији излагао први аутор рада и колега са пројекта ОИ174001, др Данило Карличић. Било је више питања и дискусије на тему рада са препознатљивим истраживачима из области нелинеарне механике и нелинеарних динамичких система.

Радни део конференције је одржан у згради Универзитета Технолошких и Економских наука у Будимпешти. Конференција се одржава на три године.

За учешће на овој конференцији сам подржан од Математичког института САНУ, пројекта "ОИ174001 Динамика хибридних система сложених структура, Механика материјала" и руководиоца пројекта проф. др Катице (Стевановић) Хедрих и Министарства просвете, науке и технолошког развоја Републике Србије.

Милан Цајић

дана 02.07.2017.

Милан Цајић  
истраживач-сарадник, Математички институт САНУ





# ORGANIZERS

## **Local Organizing Committee (LOC)**

Gábor Stépán (*chairman*)  
Gábor Csernák (*secretary*)  
Péter Beda  
Gábor Domokos  
Zsolt Gáspár  
János Józsa  
György Károlyi  
Gyula Patkó  
Tamás Tél  
János Vad

## **European Nonlinear Oscillations Conference Committee (ENOCC)**

Giuseppe Rega, Italy (*Chair ENOCC*)  
Vincent Acary, France  
Matthew Cartmell, UK  
Felix Chernousko, Russia  
Oded Gottlieb, Israel  
Andrei Metrikine, The Netherlands  
Remco Ingmar Leine, Germany  
Pedro Leal Ribeiro, Portugal  
Alois Steindl, Austria  
Gábor Stépán, Hungary

**16.00- 18.00 MS 06 / II.  
Fractional Derivatives**

**Chair:**  
Dana Copot

**Co-chair:**  
Péter Béda

**16.00 ID 9  
Contributions of the pool of long-lived chronically infected  
CD4+ T cells in HIV dynamics: a fractional-order approach**  
Ana Carvalho<sup>1</sup>, Carla Pinto<sup>2</sup>

<sup>1</sup>Faculty of Sciences, University of Porto, Department of Mathematics, Porto, Portugal

<sup>2</sup>School of Engineering, Polytechnic of Porto, Porto, Portugal

**16.20 ID 116  
Generic bifurcations at nonlocal continua described  
by fractional calculus**

Peter Béda

*Budapest University of Technology and Economics, Department of Vehicle Elements  
and Vehicle-structure Analysis, Budapest, Hungary*

**16.40 ID 160  
Stability of fractional positive continuous-time  
and discrete-time nonlinear systems**

Tadeusz Kaczorek

*Bialystok University of Technology, Faculty of Electrical Engineering, Bialystok, Poland*

**17.00 ID 180  
Combined resonance of a nonlocal nanobeam on fractional  
Pasternak-type viscoelastic foundation**

Milan Cajić<sup>1</sup>, Danilo Karličić<sup>1</sup>, Mihailo Lazarević<sup>2</sup>, Wen Chen<sup>3</sup>

<sup>1</sup>Mathematical Institute of Serbian Academy of Sciences and Arts,  
Department of Mechanics, Belgrade, Serbia

<sup>2</sup>University of Belgrade - Faculty of Mechanical Engineering, Department of Mechanics,  
Belgrade, Serbia

<sup>3</sup>Hohai University, Institute of Soft Matter Mechanics, Department of Engineering  
Mechanics, Nanjing, China

**17.20 ID 242  
Generalized fractional order reset element (GFrORE)**

Niranjan Saikumar, Hassan HosseinNia

*Technische Universiteit Delft, Precision and Microsystem Engineering,  
Delft, The Netherlands*



## Combined resonance of a nonlocal nanobeam on fractional Pasternak-type viscoelastic foundation

Milan Cajić<sup>\*</sup>, Danilo Karličić<sup>\*</sup>, Mihailo Lazarević<sup>\*\*</sup>, Wen Chen<sup>\*\*\*</sup>

<sup>\*</sup>Mathematical institute of the SASA, University of Belgrade, Belgrade, Serbia

<sup>\*\*</sup>Faculty of Mechanical Engineering, University of Belgrade, Belgrade, Serbia

<sup>\*\*\*</sup>Institute of Soft Matter Mechanics, College of Mechanics and Materials  
Hohai University, Nanjing, China

**Summary.** In this communication, we observe the interaction of fundamental parametric resonances with subharmonic resonances of order one-half of a geometrically nonlinear nonlocal nanobeam model resting on a fractional Pasternak-type viscoelastic foundation. Euler-Bernoulli beam theory and nonlinear von Karman strain-displacement relation are employed to obtain fractional order governing equation for the transverse vibration of a system. Under the assumption of small fractional damping, we used the perturbation multiple-scales method to obtain an approximated analytical solution for the frequency-amplitude response. Combined parametric resonance from axial load and subharmonic resonance under external excitation are examined for different parameters of the model. Validation of the multiple scales solution against numerical solution in the phase plane and Poincaré map will be provided.

### Introduction

Nanostructures having similar shapes as macro engineering structures such as beams, plates and shells are developed using various nano-technological processes. Mechanical behavior of nano-scale structures is also similar to the behavior of macro structures with the main difference that influences of various size-effects cannot be neglected. Studying the dynamic behavior of nanostructures is especially important for the development of new types of nanoactuators, nanosensors or resonator devices. Geometrically nonlinear oscillations with different resonance conditions together with dissipation effects from different sources are important effects for the investigation and performance of nano-scale resonators. Very important is consideration of dissipation effects from external medium. Application of experimental and atomistic methods is limited for the analysis of nanostructures and it can be applied only to specific and less complex systems. Continuum based theoretical models have attracted a great attention of researchers in recent years. Eringen's nonlocal elasticity theory was one of the first that consider size effects and atomic forces through a single material parameter [1]. This theory shown to be very useful in describing the mechanical behavior of various nanostructures and nanocomposites compared to other methods [2]. Dissipation models based on fractional derivative viscoelasticity become widely used due to proven advantages compared to classical viscoelasticity models [3]. Recently, such models are successfully used to describe linear and nonlinear dynamics of nanostructures considering size and damping effects [4, 5]. When solving nonlinear dynamic problems together with the fractional derivative damping one can use numerical [5] or analytical approximation methods [6].

In this work, we will investigate a combined parametric and subharmonic resonance of a nanobeam system subjected to time dependent axial and transverse loads. Effects of fractional derivative Pasternak-type viscoelastic foundation, representing some medium around nanobeam, and size effects on frequency-amplitude response will be examined for changes of model parameters. Our intention is to fill the gap in the literature by studying the combined resonance condition of a nanobeam system using the multiple scales perturbation method to solve nonlinear fractional order differential equations. In addition, verification of the analytical perturbation method results with numerical solution will be presented in the phase plane and Poincaré map.




Fig.1 Illustration of a nanobeam on viscoelastic foundation a) Physical model b) Mechanical model

### Problem formulation

Let us assume that a nanobeam is homogenous with length  $L$ , cross section area  $A$ , density  $\rho$ , and Young's modulus  $E$ , Fig. 1. Assuming the nonlocal elasticity stress-strain equation for one-dimensional case, von Karman strain-displacement relation and Euler-Bernoulli beam theory [6], we derive governing equation for nonlinear transverse vibration of a nanobeam resting on fractional Pasternak-type viscoelastic foundation [7] as

$$\rho A \frac{\partial^2 w}{\partial t^2} + \xi(x, t) - P \frac{\partial^2 w}{\partial x^2} - \mu \left[ \rho A \frac{\partial^4 w}{\partial t^2 \partial x^2} + \frac{\partial^2 \xi(x, t)}{\partial x^2} - P \frac{\partial^4 w}{\partial x^4} \right] + EI \frac{\partial^4 w}{\partial x^4} = f(t) \quad (1)$$

where  $f(t) = F_T \cos \Omega_T t$  is the assumed transverse harmonic load,  $\xi(x, t) = \eta D_t^\alpha w - G_p D_t^\alpha \frac{\partial^2 w}{\partial x^2}$  is the force-displacement relation from fractional Pasternak-type foundation, where  $D_t^\alpha$  is the operator of the Riemann-Liouville's fractional derivative. Axial force from  $F = -(F_0 + F_1 \cos \Omega_A t)$  is given in the form

$$P = -(F_0 + F_1 \cos \Omega_A t) + \frac{EA}{2L} \int_0^L \left( \frac{\partial w}{\partial x} \right)^2 dx \quad (2)$$

Governing equation (1) is the fractional derivative type of partial differential equation with one fractional parameter  $\alpha$ . This equation can be solved numerically or analytically using approximation methods such as modified multiple scales perturbation technique proposed in [3]. In using this method, firstly we employ the Galerkin discretization method. In developing the multiple scales solution usual assumptions for the first and the second time derivatives are adopted while for the fractional time derivation we have

$$D_t^\alpha = \left( \frac{d}{dt} \right)^\alpha = (D_0 + \varepsilon D_1 + \varepsilon^2 D_2 + \dots)^\alpha = D_+^\alpha + \varepsilon \alpha D_+^{\alpha-1} D_1 + \frac{1}{2} \varepsilon^2 \alpha [(\alpha-1) D_+^{\alpha-2} D_1^2 + 2 D_+^{\alpha-1} D_2] + \dots \quad (3)$$

with  $D_n = \frac{\partial}{\partial T_n}$  ( $n = 0, 1, 2, \dots$ ) and  $D_0^\alpha, D_0^{\alpha-1}, D_0^{\alpha-2}, \dots$  denoting the Riemann-Liouville's fractional time derivatives for  $T_0 = t, T_1 = \varepsilon t, T_2 = \varepsilon^2 t$ , where  $\varepsilon$  is the small parameter. Multiple scales solution of fractional order differential equation is verified with the numerical solution of the same equation. Steady state response, frequency-amplitude response and instability regions are plotted for simply supported nanobeam and different values of system parameters such as nonlocal parameter, order of fractional derivative and parameters of Pasternak-type of viscoelastic foundation. Interaction of fundamental parametric resonance from axial force with subharmonic resonance from external harmonic load is also discussed in detail.

## Conclusions

This paper studies the combined fundamental parametric resonance and one half order subharmonic resonance of a nano-scale system composed of a nanobeam and fractional Pasternak-type viscoelastic foundation. Geometric nonlinearity is considered together with the Euler-Bernoulli beam theory and nonlocal elastic constitutive equation to derive motion equations of the observed system. The system is subjected to two different types of loads, transverse harmonic force and axial pulsating force. Solution of the governing equation is proposed via modified multiple scales perturbation method for fractional derivative equations, which is also confirmed with the numerical solution. Effects of different parameters on frequency-amplitude response and regions of instability are examined through several numerical examples.

## Acknowledgments

This research was supported by the research grants of the Serbian Ministry of Education, Science and Technological Development under the numbers OI 174001, OI 174011, TI 35006, III 41006 and partially supported by Serbia-China bilateral project under the number 3-12.

## References

- [1] Eringen, A. C. (1983). On differential equations of nonlocal elasticity and solutions of screw dislocation and surface waves. *Journal of applied physics*, 54(9), 4703-4710.
- [2] Karličić, D., Murmu, T., Adhikari, S., & McCarthy, M. (2015). *Non-local Structural Mechanics*. John Wiley & Sons.
- [3] Rossikhin, Y. A., & Shitikova, M. V. (2010). Application of fractional calculus for dynamic problems of solid mechanics: novel trends and recent results. *Applied Mechanics Reviews*, 63(1), 010801
- [4] Čajić, M., Karličić, D., & Lazarević, M. (2017). Damped vibration of a nonlocal nanobeam resting on viscoelastic foundation: fractional derivative model with two retardation times and fractional parameters. *Meccanica*, 52(1), 363-382.
- [5] Ansari, R., Oskouie, M. F., & Gholami, R. (2016). Size-dependent geometrically nonlinear free vibration analysis of fractional viscoelastic nanobeams based on the nonlocal elasticity theory. *Physica E: Low-dimensional Systems and Nanostructures*, 75, 266-271.
- [6] Karličić, D., Kozić, P., Pavlović, R., & Nešić, N. (2016). Dynamic stability of single-walled carbon nanotube embedded in a viscoelastic medium under the influence of the axially harmonic load. *Composite Structures*.
- [7] Cai, W., Chen, W., & Xu, W. (2016). Fractional modeling of Pasternak-type viscoelastic foundation. *Mechanics of Time-Dependent Materials*, 1-13.