

A TABLE OF COSPECTRAL GRAPHS WITH LEAST EIGENVALUE AT LEAST -2

Dragoš Cvetković
University of Belgrade, Belgrade
Mirko Lepović
University of Kragujevac, Kragujevac

Abstract

This paper provides a contribution to the study the phenomenon of cospectrality in generalized line graphs and in exceptional graphs. The paper contains a table of cospectral sets of graphs with least eigenvalue at least -2 and at most 8 vertices together with some comments.

1 Introduction

The spectrum of a graph is the spectrum of its adjacency matrix. Cospectral graphs are graphs having the same spectrum.

The paper contains a table of cospectral sets of graphs with least eigenvalue at least -2 and at most 8 vertices together with some comments. This paper is aimed to be presented on the Internet, while a condensed version of the table with comments and some related results appears in [7].

Let $G = (V, E)$ be a simple graph with n vertices. The characteristic polynomial $\det(xI - A)$ of the adjacency matrix A of G is called the *characteristic polynomial of G* and denoted by $P_G(x)$. The eigenvalues of A (i.e. the zeros of $\det(xI - A)$) and the spectrum of A (which consists of the n eigenvalues) are also called the *eigenvalues* and the *spectrum* of G , respectively. The eigenvalues of G are usually denoted by $\lambda_1, \lambda_2, \dots, \lambda_n$; they are real because A is symmetric. We shall assume that $\lambda_1 \geq \lambda_2 \geq \dots \geq \lambda_n$ and use the notation $\lambda_i = \lambda_i(G)$ for $i = 1, 2, \dots, n$.

Graphs with the same spectrum are called *isospectral* or *cospectral* graphs. The term "(unordered) pair of isospectral non-isomorphic graphs" will be denoted by PING. More generally, a "set of isospectral non-isomorphic graphs" is denoted by SING. A two element SING is a PING. A SING

may be *empty* (of course, if it has no elements) or *trivial* (if it consists of just one graph). A graph H , cospectral but non-isomorphic to a graph G , is called a *cospectral mate* of G .

As usual, K_n , C_n and P_n denote respectively the *complete graph*, the *cycle* and the *path* on n vertices. Further, $K_{m,n}$ denotes the *complete bipartite* graph on $m + n$ vertices. The *cocktail-party graph* $CP(n)$ is the unique regular graph with $2n$ vertices of degree $2n - 2$; it is obtained from K_{2n} by deleting n mutually non-adjacent edges.

The *union* of disjoint graphs G and H is denoted by $G \cup H$. The *join* $G \nabla H$ of (disjoint) graphs G and H is the graph obtained from G and H by joining each vertex of G with each vertex of H .

Let $\mathcal{L}$ ($\mathcal{L}^+$, $\mathcal{L}^0$) be the set of graphs whose least eigenvalue is greater then or equal to -2 (greater then -2 , equal to -2). A graph is called an $\mathcal{L}$ -graph ($\mathcal{L}^+$ -graph, $\mathcal{L}^0$ -graph) if its least eigenvalue is greater then or equal to -2 (greater then -2 , equal to -2).

The *line graph* $L(H)$ of any graph H is defined as follows. The vertices of $L(H)$ are the edges of H and two vertices of $L(H)$ are adjacent whenever the corresponding edges of H have a vertex of H in common.

Interest in the study of graphs with least eigenvalue -2 began with an elementary observation that line graphs have the least eigenvalue greater than or equal to -2 . A natural problem arose to characterize the graphs with such a remarkable property. It appeared that line graphs share this property with generalized line graphs and with some exceptional graphs.

A *generalized line graph* $L(H; a_1, \dots, a_n)$ is defined for graphs H with vertex set $\{1, \dots, n\}$ and non-negative integers $a_1, \dots, a_n$ by taking the graphs $L(H)$ and $CP(a_i)$ ($i = 1, \dots, n$) and adding extra edges: a vertex e in $L(H)$ is joined to all vertices in $CP(a_i)$ if i is an end-vertex of e as an edge of H . We include as special cases an ordinary line graph ($a_1 = a_2 = \dots = a_n = 0$) and the cocktail-party graph $CP(n)$ ($n = 1$ and $a_1 = n$). We introduce the abbreviation GLG for a generalized line graph.

Let $a = (a_1, a_2, \dots, a_n)$. Consider a generalized line graph $L(G; a)$, where G is connected and $\sum_{i=1}^n a_i > 0$. The *root graph* of $L(G; a)$ is defined as the multigraph H obtained from G by adding a_i pendant double edges (petals) at vertex v_i for each $i = 1, \dots, n$. Then $L(G; a) = L(H)$ if we understand that in $L(H)$ two vertices are adjacent if and only if the corresponding edges in H have exactly one vertex in common.

It is convenient to reformulate slightly the concept of the root graph of a GLG.

A pendant double edge is called a *petal*. A *blossom* B_n consists of n ($n \geq 0$) petals attached at a single vertex. An *empty* blossom B_0 has

no petals and is reduced to the trivial graph K_1 . A graph in which to each vertex a blossom (possibly empty) is attached is called a *graph with blossoms* or a *B-graph*. The set of B-graphs includes as a subset the set of (undirected) graphs without loops or multiple edges. A graph G is a generalized line graph if $G = L(H)$ is the line graph of a B-graph H called the *root graph* of G . The definition of $L(H)$ remains as given above. We have $L(B_n) = CP(n)$. A GLG is called a line graph if there exists a B-graph H with no petals such that $G = L(H)$ while in the opposite case G is a *proper* generalized line graph. Hence, the set of generalized line graphs is the union of two disjoint sets: the set of line graphs and the set of proper generalized line graphs.

An *exceptional* graph is a connected graph with least eigenvalue greater than or equal to -2 which is not a generalized line graph. A *generalized exceptional* graph is a graph with least eigenvalue greater than or equal to -2 in which at least one component is an exceptional graph.

An important graph invariant is the *star value* S of an $\mathcal{L}$ -graph G . It is defined by

$$S = \frac{(-1)^n}{(n-k)!} P_G^{(n-k)}(-2) = (\lambda_1 + 2)(\lambda_2 + 2) \cdots (\lambda_k + 2),$$

where $f^{(p)}(x)$ denotes the p -th derivative of the function $f(x)$.

Since the characteristic polynomial of a disconnected graph G is equal to the product of characteristic polynomials of its components, the star value of G is the product of star values of components of G as well.

In 1976 the key paper [3] by P.J.Cameron, J.M.Goethals, J.J.Seidel and E.E.Shult introduced root systems into the study of graphs with least eigenvalue -2 . These graphs can be represented by sets of vectors at 60 or 90 degrees via the corresponding Gram matrices. Maximal sets of lines through the origin with such mutual angles are closely related to the root systems known from the theory of Lie algebras. Using such a geometrical characterization one can show that graphs in question are either generalized line graphs (representable in the root system D_n for some n) or exceptional graphs (representable in the exceptional root system E_8). The main result is that an exceptional graph can be represented in the exceptional root system E_8 . In particular, it is proved in this way that an exceptional graph has at most 36 vertices and each vertex has degree at most 28.

Much information on these problems can be found in the books [1], [4], [6], [8], in the expository papers [2], [5] and in the new book [9].

2 Description of the table of cospectral graphs

Before presenting some details from our table of cospectral $\mathcal{L}$ -graphs we shall give some definitions.

If the set of graphs $\{G_1, G_2, \dots, G_k\}$ is a SING and if G is any connected graph, then the set $\{G_1 \cup G, G_2 \cup G, \dots, G_k \cup G\}$ is also a SING. Each graph in the later SING has a component isomorphic to a fixed graph (to the graph G).

A SING $\mathcal{S}$ is called *reducible* if each graph in $\mathcal{S}$ contains a component isomorphic to a fixed graph. Otherwise, $\mathcal{S}$ is called *irreducible*.

A SING is called *complete* if no graph outside the SING is cospectral to graphs from the SING; otherwise the SING is called *incomplete*. The SINGs whose members belong to a set X of graphs are called X -SINGs.

The table of cospectral graphs from this paper contains irreducible SINGs in which graphs have the least eigenvalue at least -2 and the number of vertices n is at most 8.

The next table gives some statistic of SINGs.

n	5	6	7	8
all SINGs	1	5	54	829
$\mathcal{L}$ -SINGs	1	5	32	198
irreducible $\mathcal{L}$ -SINGs	1	4	28	168

Our table contains $1 + 4 + 28 + 168 = 201$ irreducible $\mathcal{L}$ -SINGs with at most 8 vertices.

Given two graphs G and H , we shall say that G is *smaller* than H if $|V(G)| < |V(H)|$ and in the case $|V(G)| = |V(H)|$ if $|E(G)| < |E(H)|$. Any set of graphs has one or several *smallest* graphs in the above order of graphs. Since graphs in any SING have the same number of vertices and the same number of edges, we can compare SINGs as well in the above sense.

Cospectral $\mathcal{L}$ -graphs could be line graphs, proper generalized line graphs and (generalized) exceptional graphs in all combinations.

The smallest PING without the limitations on the least eigenvalue, which consists of graphs $K_{1,4}$ and $C_4 \cup K_1$, is also the first graph in our table. Note that $K_{1,4}$ is a proper GLG while $C_4 \cup K_1$ is a line graph.

The next PING which appears in the table consists of disconnected graphs $K_{1,3} \cup K_2$, $P_5 \cup K_1$ and this is the smallest irreducible PING with such a property.

Although reducible SINGs should not be included in tables like our since they can easily be generated from irreducible ones, reducible SINGs are not

quite uninteresting. Namely, although the reducible PINGs, for example, $\{K_{1,4} \cup K_1, C_4 \cup 2K_1\}$, $\{K_{1,3} \cup K_2 \cup K_1, P_5 \cup 2K_1\}$ have been deleted from the table, the reducible SING $\{K_{1,4} \cup K_2, C_4 \cup K_1 \cup K_2\}$ appears to be incomplete and can be extended to the triplet of cospectral graphs $\{K_{1,4} \cup K_2, C_4 \cup K_1 \cup K_2, S_6 \cup K_1\}$ which does appear in the table! (Here S_6 is the tree on 6 vertices with largest eigenvalue equal to 2).

In this context interesting is also the (irreducible) SING No. 2 on 8 vertices. It is a quadruple consisting of two (cospectral) reducible PINGs (first and third graph can be reduced to PING No. 2 on 6 vertices while the other two reduce to the PING No. 2 on 7 vertices).

The smallest PING with graphs beyond $\mathcal{L}$ consists of graphs with 7 vertices and 6 edges. One of them is $\{K_{1,6}, K_{2,3} \cup K_1\}$ with least eigenvalue -2.4455 . The smallest such PING in which both graphs are connected consists of some bicyclic graphs with least eigenvalue -2.0748 . These examples, of course, do not belong to our table.

PING No. 2 with 7 vertices consists of a line graph and of an exceptional graph. This is the smallest such PING. The line graph is $C_6 \cup K_1$; the other is an exceptional tree with largest eigenvalue 2 (and the least eigenvalue -2). In addition, these two graphs are switching equivalent.

Next we note that PING No. 10 with 8 vertices consists of a connected line graph and a generalized exceptional graph (having an isolated vertex) while in the PING No. 23 with the same number of vertices both graphs are connected one being a line graph and the other an exceptional graph. In the later case the least eigenvalue is equal to -2 and one can prove that this is not possible in $\mathcal{L}^+$ -graphs.

In the table which follows the SINGs are classified by the number of vertices and by the number of edges. Within a group with fixed numbers of vertices and edges the SINGs are classified lexicographically by their eigenvalues in non-decreasing order (first by non-increasing least eigenvalues, then by the second smallest one, etc.). For each SING, first row contains an identification number, followed by eigenvalues and the star value. Next, a row is related to each member of the SING. The row first contains the rows of the lower triangle of an adjacency matrix of the graph. In addition, the number of components is given followed by the numbers $c_i, i = 1, 2, 3$ where c_i is the number of components with i vertices for $i = 1, 2, 3$. Further we find a graph classifier: LG for line graphs, GL for proper generalized line graphs and EX for generalized exceptional graphs. For line graphs we come across an B if the root graph is bipartite and NB in the opposite case. In proper generalized line graphs the number of petals is given.

A TABLE OF COSPECTRAL GRAPHS WITH LEAST EIGENVALUE AT LEAST -2

Cospectral graphs with 5 vertices

4 edges

```
1.  2.0000  0.0000  0.0000  0.0000 -2.0000  32
    0 01 001 0101  2  1 0 0  LG B
    1 10 100 1000  1  0 0 0  GL 2
```

Cospectral graphs with 6 vertices

4 edges

```
1.  1.7321  1.0000  0.0000  0.0000 -1.0000 -1.7321  12
    0 01 101 0100 00000  2  1 0 0  LG B
    0 01 100 0001 00010  2  0 1 0  GL 1
```

5 edges

```
2.  2.0000  1.0000  0.0000  0.0000 -1.0000 -2.0000  48
    0 01 001 0101 10000  2  0 1 0  LG B
    1 10 010 1000 01000  1  0 0 0  GL 2
```

6 edges

```
3.  2.5616  1.0000  0.0000 -1.0000 -1.0000 -1.5616  12
    0 01 011 0011 10000  2  0 1 0  LG NB
    0 01 011 0001 00011  2  1 0 0  LG B
```

7 edges

```
4.  2.7093  1.0000  0.1939 -1.0000 -1.0000 -1.9032  3
    1 10 100 1100 10100  1  0 0 0  EX
    1 10 010 0010 11100  1  0 0 0  EX
```

Cospectral graphs with 7 vertices

5 edges

1. 2.0000 1.0000 0.0000 0.0000 0.0000 -1.0000 -2.0000 96
0 01 001 0101 10000 000000 3 1 1 0 LG B
0 01 100 0001 00010 000100 2 0 1 0 GL 2
0 01 101 0001 00100 000000 2 1 0 0 GL 2

6 edges

2. 2.0000 1.0000 1.0000 0.0000 -1.0000 -1.0000 -2.0000 72
0 01 101 0100 10001 000000 2 1 0 0 LG B
1 10 010 0010 10000 000001 1 0 0 0 EX

3. 2.0000 1.4142 0.0000 0.0000 0.0000 -1.4142 -2.0000 64
0 01 001 0101 10000 000001 2 0 0 1 LG B
1 10 010 0010 01000 001000 1 0 0 0 GL 2

7 edges

4. 2.4383 1.1386 0.6180 0.0000 -0.8202 -1.6180 -1.7566 8
1 10 010 0010 11000 000001 1 0 0 0 LG B
0 01 101 1100 01001 000000 2 1 0 0 LG NB

5. 2.5616 1.0000 0.0000 0.0000 0.0000 -1.5616 -2.0000 48
0 01 101 1101 10000 000000 2 1 0 0 LG B
1 10 010 1000 01000 110000 1 0 0 0 GL 2

8 edges

6. 2.7093 1.4142 0.1939 0.0000 -1.0000 -1.4142 -1.9032 4
1 10 010 0010 01000 010101 1 0 0 0 GL 1
1 10 010 1000 01010 110000 1 0 0 0 GL 1

7. 2.4728 1.4626 0.6180 0.0000 -1.0000 -1.6180 -1.9354 2
1 10 010 0010 01010 010010 1 0 0 0 EX
1 10 010 0010 01000 001110 1 0 0 0 EX

8. 2.7649 1.2395 0.3257 0.0000 -1.0000 -1.3746 -1.9555 2
1 10 010 0010 01000 110100 1 0 0 0 EX
1 10 010 1000 10100 110000 1 0 0 0 EX

9. 2.8136 1.0000 0.5293 0.0000 -1.0000 -1.3429 -2.0000 48
0 01 101 1101 01001 000000 2 1 0 0 LG B
1 10 010 0010 10000 111000 1 0 0 0 EX

10. 2.7321 1.4142 0.0000 0.0000 -0.7321 -1.4142 -2.0000 48
0 01 101 1101 01100 000000 2 1 0 0 LG B
1 10 010 1000 01000 101010 1 0 0 0 GL 2

11. 2.9032 0.8061 0.0000 0.0000 0.0000 -1.7093 -2.0000 32
1 10 010 1000 11000 110000 1 0 0 0 GL 2
0 01 101 1101 00011 000000 2 1 0 0 GL 1

9 edges

12. 3.2361 0.6180 0.6180 0.0000 -1.2361 -1.6180 -1.6180 8
1 10 010 1100 00001 110010 1 0 0 0 LG B
0 01 101 0011 11110 000000 2 1 0 0 LG NB

13. 2.8162 1.3666 0.6927 -0.2256 -1.0000 -1.7555 -1.8944 2
1 10 010 0010 00010 101011 1 0 0 0 EX
1 10 010 0010 01010 001101 1 0 0 0 EX

14. 3.0569 1.0661 0.6180 -0.4041 -0.7855 -1.6180 -1.9334 2
1 10 010 1000 10100 101010 1 0 0 0 EX
1 10 010 0010 10000 111100 1 0 0 0 EX

15. 3.2361 1.0000 0.0000 0.0000 -1.0000 -1.2361 -2.0000 48
0 01 011 0011 01011 100000 2 0 1 0 LG NB
0 01 101 1101 10011 000000 2 1 0 0 LG B

16. 2.8608 1.2541 0.6180 0.0000 -1.1149 -1.6180 -2.0000 28
1 10 010 0010 00010 011110 1 0 0 0 LG B
1 10 010 0010 01000 010111 1 0 0 0 GL 1

17. 2.7757 1.5892 0.2763 0.0000 -1.0000 -1.6412 -2.0000 28
1 10 010 0010 01010 110010 1 0 0 0 LG B
1 10 010 0010 01010 101100 1 0 0 0 LG B

10 edges

18. 3.4114 1.1172 0.3513 -0.5571 -1.0000 -1.3792 -1.9437 2
1 10 010 1000 10100 101011 1 0 0 0 EX
1 10 010 0010 11000 111001 1 0 0 0 EX

19. 3.3571 1.3701 0.2230 -1.0000 -1.0000 -1.0000 -1.9502 2
1 10 010 0010 01010 110101 1 0 0 0 EX
1 10 100 1100 10100 110010 1 0 0 0 EX

11 edges

20. 3.6147 1.0999 0.3309 -0.4807 -1.0000 -1.6603 -1.9045 2
1 10 010 0010 11000 111101 1 0 0 0 EX
1 10 100 1100 10100 111010 1 0 0 0 EX

21. 3.7785 0.7108 0.0000 0.0000 -1.0000 -1.4893 -2.0000 32
0 01 011 0011 01011 000111 2 1 0 0 LG NB
1 10 100 1000 11100 111001 1 0 0 0 GL 2

22. 3.4893 1.2892 0.0000 0.0000 -1.0000 -1.7785 -2.0000 16
1 10 010 0010 11010 110011 1 0 0 0 LG NB
1 10 010 0010 11010 111100 1 0 0 0 LG NB
1 10 100 1100 10110 101100 1 0 0 0 GL 2

23. 3.5366 1.0000 0.3068 0.0000 -1.0000 -1.8434 -2.0000 12
1 10 010 1000 10100 101111 1 0 0 0 EX
1 10 010 1000 11100 111100 1 0 0 0 EX

12 edges

24. 3.8284 0.6180 0.6180 0.0000 -1.6180 -1.6180 -1.8284 2
1 10 010 1100 00001 111111 1 0 0 0 EX
1 10 010 1100 11000 111110 1 0 0 0 EX

25. 3.6458 1.0000 1.0000 -1.0000 -1.0000 -1.6458 -2.0000 18
1 10 010 0010 00011 111111 1 0 0 0 EX
1 10 010 0011 11100 110101 1 0 0 0 EX

26. 3.8154 1.0607 0.0000 0.0000 -1.1362 -1.7398 -2.0000 16
1 10 010 0010 10110 111101 1 0 0 0 LG NB
1 10 010 1000 10101 101111 1 0 0 0 GL 1

13 edges

27. 3.9832 1.0000 0.1995 0.0000 -1.4687 -1.7140 -2.0000 12
1 10 010 0010 10110 111111 1 0 0 0 EX
1 10 010 1000 10111 111101 1 0 0 0 EX

15 edges

28. 4.3723 1.0000 0.0000 0.0000 -1.3723 -2.0000 -2.0000 48
1 10 010 1011 01110 111111 1 0 0 0 LG NB
1 10 010 1011 11011 111110 1 0 0 0 LG NB

Cospectral graphs with 8 vertices

6 edges

1. 1.8478 1.4142 0.7654 0.0000 0.0000 -0.7654 -1.4142 -1.8478 16
0 01 101 0100 00001 000001 0000000 2 1 0 0 LG B
0 01 100 0001 00001 001000 0000100 2 0 0 1 GL 1

2. 2.0000 1.0000 1.0000 0.0000 0.0000 -1.0000 -1.0000 -2.0000 144
0 01 001 0101 10000 000000 0000001 3 0 2 0 LG B
0 01 101 0100 10001 000000 0000000 3 2 0 0 LG B
0 01 100 0001 00001 000010 0001000 2 0 1 0 GL 2
0 01 101 0100 00100 000001 0000000 2 1 0 0 EX

3. 2.0000 1.4142 0.0000 0.0000 0.0000 0.0000 -1.4142 -2.0000 128
0 01 001 0101 10000 000001 0000000 3 1 0 1 LG B
0 01 100 0001 00100 000100 0001000 2 0 0 1 GL 2
0 01 101 0100 00010 010000 0000000 2 1 0 0 GL 2

7 edges

4. 2.3429 1.4142 0.4707 0.0000 0.0000 -1.0000 -1.4142 -1.8136 16
0 01 101 1001 01000 000010 0000000 2 1 0 0 LG B
0 01 011 1000 00001 000100 0001000 2 0 0 1 GL 1

5. 2.0000 1.6180 0.6180 0.0000 0.0000 -0.6180 -1.6180 -2.0000 80
0 01 001 0101 10000 000001 0000001 2 0 0 0 LG B
1 10 010 0010 00010 001000 0001000 1 0 0 0 GL 2

8 edges

6. 2.6855 1.4142 0.3349 0.0000 0.0000 -1.2713 -1.4142 -1.7491 16
0 01 101 1001 00110 000010 0000000 2 1 0 0 LG B
0 01 011 0011 10000 000001 0001000 2 0 0 1 GL 1

7. 2.6412 1.4142 0.7237 0.0000 -0.5892 -1.0000 -1.4142 -1.7757 16
0 01 011 0011 10000 000001 0000100 2 0 0 1 LG NB
0 01 101 1001 00110 010000 0000000 2 1 0 0 LG B

8. 2.7913 1.0000 0.6180 0.0000 0.0000 -1.0000 -1.6180 -1.7913 12
0 01 011 0011 10000 000100 0010000 2 0 1 0 GL 1
0 01 101 0111 11000 000000 0000000 3 2 0 0 EX

9. 2.3429 2.0000 0.4707 0.0000 -1.0000 -1.0000 -1.0000 -1.8136 16
0 01 011 1000 10001 000101 0000000 2 1 0 0 LG B
0 01 011 1000 10001 000001 0000010 2 0 0 1 GL 1

10. 2.5554 1.1946 0.7799 0.0000 0.0000 -0.8911 -1.7177 -1.9210 4
1 10 010 0010 11000 000001 0100000 1 0 0 0 GL 1
0 01 101 1100 01001 000010 0000000 2 1 0 0 EX

11. 2.4728 1.4626 0.6180 0.0000 0.0000 -1.0000 -1.6180 -1.9354 4
1 10 010 0010 00010 001000 1010000 1 0 0 0 GL 1
1 10 010 0010 01000 101000 0000001 1 0 0 0 GL 1
0 01 101 1100 00001 000011 0000000 2 1 0 0 EX
0 01 101 1100 01001 000100 0000000 2 1 0 0 EX

12. 2.3920 1.5739 0.6852 0.2715 -0.5010 -1.0000 -1.4339 -1.9877 1
1 10 010 0010 00010 001000 0010100 1 0 0 0 EX
1 10 010 0010 00010 100000 0101000 1 0 0 0 EX

13. 2.7321 1.0000 1.0000 0.0000 -0.7321 -1.0000 -1.0000 -2.0000 108
0 01 011 0011 10000 000010 0000100 2 0 1 0 GL 1
0 01 101 1001 00010 000101 0000000 2 1 0 0 EX

14. 2.8136 1.0000 0.5293 0.0000 0.0000 -1.0000 -1.3429 -2.0000 96
0 01 101 1101 01001 000000 0000000 3 2 0 0 LG B
0 01 011 0011 10000 000100 0001000 2 0 1 0 GL 2
0 01 101 0111 01000 000010 0000000 2 1 0 0 EX

15. 2.4812 1.4142 0.6889 0.0000 0.0000 -1.1701 -1.4142 -2.0000 80
0 01 101 1101 00000 000001 0000001 2 0 0 1 LG B
1 10 010 0010 00010 100000 1010000 1 0 0 0 EX

9 edges

16. 2.6588 1.6479 0.8536 0.0000 -0.7492 -1.0000 -1.4737 -1.9373 4
1 10 010 0010 00010 000010 0101010 1 0 0 0 LG NB
1 10 010 0010 01000 001010 1010000 1 0 0 0 GL 1

17. 2.5466 1.5596 0.6180 0.4582 -0.2004 -1.3867 -1.6180 -1.9772 1
1 10 010 0010 00010 010010 0101000 1 0 0 0 EX
1 10 010 0010 00010 001000 0101100 1 0 0 0 EX

18. 2.7741 1.4323 0.7366 0.1853 -0.6028 -1.0000 -1.5415 -1.9841 1
1 10 010 0010 00010 100000 1010001 1 0 0 0 EX
1 10 010 0010 01000 010100 1100000 1 0 0 0 EX

19. 2.7231 1.5257 0.8004 0.1381 -0.7610 -1.0000 -1.4408 -1.9855 1
1 10 010 0010 00010 000010 1101000 1 0 0 0 EX
1 10 010 0010 10000 010100 1100000 1 0 0 0 EX

20. 2.7321 1.4142 1.0000 0.0000 -0.7321 -1.0000 -1.4142 -2.0000 72
0 01 101 1101 01100 000000 0000001 2 0 1 0 LG B
1 10 010 0010 00010 000010 1110000 1 0 0 0 EX

21. 2.8608 1.2541 0.6180 0.0000 0.0000 -1.1149 -1.6180 -2.0000 56
0 01 101 1101 01001 000001 0000000 2 1 0 0 LG B
0 01 101 1100 01001 010010 0000000 2 1 0 0 GL 1
1 10 010 0010 11000 000001 0100010 1 0 0 0 EX

22. 2.4989 1.4959 1.0000 0.4249 -0.7574 -1.0000 -1.6624 -2.0000 48
1 10 010 0010 00010 000010 0010110 1 0 0 0 LG B
1 10 010 0010 00010 000010 0011010 1 0 0 0 EX

23. 2.5806 1.5143 0.7890 0.0000 0.0000 -1.0769 -1.8070 -2.0000 32
1 10 010 0010 00010 000010 1100010 1 0 0 0 LG B
1 10 010 0010 01000 001000 0101100 1 0 0 0 EX

24. 3.0000 1.0000 0.0000 0.0000 0.0000 0.0000 -2.0000 -2.0000 240
0 01 101 1101 11100 000000 0000000 3 2 0 0 LG B
1 10 010 1000 01000 110000 1100000 1 0 0 0 GL 3

10 edges

25. 3.3234 1.4142 0.3579 0.0000 -1.0000 -1.0000 -1.4142 -1.6813 16
0 01 011 0111 00011 100000 0000001 2 0 0 1 LG NB
0 01 101 0011 00111 100100 0000000 2 1 0 0 LG B

26. 3.1819 1.2470 1.0000 -0.4450 -0.5936 -1.0000 -1.5884 -1.8019 9
1 10 010 0010 00010 110000 1100001 1 0 0 0 LG B
0 01 101 0111 10011 000000 0000001 2 0 1 0 EX

27. 3.0278 1.4429 0.8317 0.0000 -0.6668 -1.0000 -1.7668 -1.8687 4
1 10 010 0010 00010 000010 1111000 1 0 0 0 LG NB
1 10 010 0010 01010 110000 1100000 1 0 0 0 GL 1

28. 3.3132 0.8693 0.6180 0.0000 0.0000 -1.2727 -1.6180 -1.9098 4
1 10 010 1100 00001 100000 1100100 1 0 0 0 GL 1
0 01 101 0011 11110 000001 0000000 2 1 0 0 EX

29. 2.9107 1.7994 0.6180 0.0000 -0.7994 -1.0000 -1.6180 -1.9107 4
1 10 010 0010 11000 000001 1010100 1 0 0 0 LG NB
0 01 101 0111 11000 100001 0000000 2 1 0 0 EX

30. 2.9881 1.5670 0.7685 0.0000 -0.5905 -1.2668 -1.5544 -1.9118 4
1 10 010 0010 00010 000010 1101010 1 0 0 0 LG NB
1 10 010 0010 01000 110000 0101010 1 0 0 0 GL 1

31. 3.2554 1.1980 0.6180 0.0000 -0.5345 -1.0000 -1.6180 -1.9188 4
1 10 010 0010 01000 110000 1100001 1 0 0 0 GL 1
0 01 011 0001 00011 000101 0001001 2 1 0 0 EX

32. 2.7245 2.1364 0.4982 0.0000 -1.0000 -1.0000 -1.4310 -1.9280 4
1 10 010 0010 00010 101000 0101010 1 0 0 0 LG NB
1 10 010 0010 01000 001010 0101010 1 0 0 0 GL 1

33. 3.1843 1.5088 0.4170 0.0000 -0.6987 -1.0000 -1.4783 -1.9330 4
1 10 010 0010 01000 101000 1010001 1 0 0 0 GL 1
0 01 101 0111 10010 000110 0000000 2 1 0 0 EX

34. 2.9028 1.4315 0.7148 0.2910 -0.2462 -1.3252 -1.8115 -1.9572 1
1 10 010 0010 00010 001000 1010110 1 0 0 0 EX
1 10 010 0010 00010 101000 0011001 1 0 0 0 EX

35. 3.1215 1.2470 0.5477 0.2974 -0.4450 -1.0000 -1.8019 -1.9666 1
1 10 010 0010 01000 110000 1101000 1 0 0 0 EX
1 10 010 0010 10000 110000 1010001 1 0 0 0 EX

36. 3.0625 1.3611 0.7668 0.1388 -0.6830 -1.0000 -1.6690 -1.9772 1
1 10 010 0010 00010 100000 1110100 1 0 0 0 EX
1 10 010 1100 00001 101000 1100000 1 0 0 0 EX

37. 3.0587 1.4263 0.6180 0.1901 -0.5164 -1.1804 -1.6180 -1.9783 1
1 10 010 0010 01000 010100 0101010 1 0 0 0 EX
1 10 010 0010 00010 001000 1110100 1 0 0 0 EX

38. 3.0259 1.4880 0.6966 0.1395 -0.6087 -1.2800 -1.4804 -1.9810 1
1 10 010 0010 00010 100000 1010101 1 0 0 0 EX
1 10 010 0010 10000 110000 1010010 1 0 0 0 EX

39. 2.9139 1.7891 0.5850 0.1163 -1.0000 -1.0000 -1.4213 -1.9830 1
1 10 010 1000 01010 101000 1100000 1 0 0 0 EX
1 10 010 0010 00010 101000 1101000 1 0 0 0 EX

40. 3.0000 2.0000 0.0000 0.0000 -1.0000 -1.0000 -1.0000 -2.0000 80
0 01 101 0111 10010 100001 0000000 2 1 0 0 LG NB
0 01 011 0111 10000 000001 1000001 2 0 0 0 LG B
0 01 011 1000 10001 000011 0000110 2 0 0 1 GL 1

41. 3.2361 1.4142 0.0000 0.0000 0.0000 -1.2361 -1.4142 -2.0000 64
0 01 011 0011 01011 100000 0000001 2 0 0 1 LG NB
0 01 011 0001 00011 000101 0011000 2 1 0 0 GL 2

42. 3.2814 1.0000 0.7719 0.0000 -0.5125 -1.0000 -1.5408 -2.0000 60
0 01 011 0011 00011 000110 1000000 2 0 1 0 GL 1
0 01 101 0111 00011 000011 0000000 2 1 0 0 EX

43. 3.0664 1.2222 1.0000 0.0000 -0.6522 -1.0000 -1.6364 -2.0000 48
0 01 101 0111 01001 100001 0000000 2 1 0 0 LG NB
1 10 010 0010 10000 000001 1111000 1 0 0 0 EX

44. 3.3234 1.0000 0.3579 0.0000 0.0000 -1.0000 -1.6813 -2.0000 48
1 10 010 1000 01000 110000 1100001 1 0 0 0 GL 2
0 01 011 0011 01011 100000 0001000 2 0 1 0 GL 2
0 01 011 0011 00011 000101 0001000 2 1 0 0 EX

45. 2.9032 1.4142 0.8061 0.0000 0.0000 -1.4142 -1.7093 -2.0000 32
1 10 010 0010 00010 000010 0111100 1 0 0 0 LG B
0 01 101 1101 01100 100001 0000000 2 1 0 0 LG NB

46. 2.8136 1.7321 0.5293 0.0000 0.0000 -1.3429 -1.7321 -2.0000 32
1 10 010 0010 00010 101000 1100010 1 0 0 0 LG B

```

1 10 010 0010 00010 101000 0101001 1 0 0 0 LG B

47. 2.8681 1.4537 0.7742 0.4678 -0.6535 -1.1545 -1.7558 -2.0000 32
1 10 010 0010 00010 000010 1011010 1 0 0 0 LG B
1 10 010 0010 00010 000010 1010110 1 0 0 0 EX

48. 3.1488 1.1784 0.5525 0.0000 0.0000 -1.0903 -1.7895 -2.0000 32
0 01 101 1101 01001 000110 0000000 2 1 0 0 GL 1
1 10 010 0010 10000 110000 1110000 1 0 0 0 EX

49. 2.8422 1.5069 1.0000 0.0000 -0.5069 -1.0000 -1.8422 -2.0000 24
1 10 010 0010 00010 001000 0010111 1 0 0 0 GL 1
1 10 010 0010 00010 000010 0101110 1 0 0 0 EX
1 10 010 0010 10000 010100 0011001 1 0 0 0 EX

50. 3.1774 1.0000 0.6784 0.0000 0.0000 -1.0000 -1.8558 -2.0000 24
1 10 010 1100 00001 110000 1000100 1 0 0 0 EX
0 01 101 1101 11001 000001 0000000 2 1 0 0 EX

51. 3.0000 1.0000 1.0000 0.0000 0.0000 -1.0000 -2.0000 -2.0000 180
0 01 101 1101 11100 000000 0000001 2 0 1 0 LG B
0 01 101 1101 01001 100001 0000000 2 1 0 0 LG B
1 10 010 0010 10000 000001 1011010 1 0 0 0 EX

```

11 edges

```

52. 3.2959 1.2470 0.9362 0.0000 -0.4450 -1.4789 -1.7532 -1.8019 4
1 10 010 0010 00010 110000 1111000 1 0 0 0 LG NB
0 01 101 0111 10011 110000 0000000 2 1 0 0 EX

53. 3.1774 1.7321 0.6784 0.0000 -1.0000 -1.0000 -1.7321 -1.8558 4
1 10 010 1010 01010 110000 1100000 1 0 0 0 GL 1
0 01 101 0111 11000 100101 0000000 2 1 0 0 EX

54. 3.2703 1.4142 0.6180 0.4053 -0.8079 -1.4142 -1.6180 -1.8676 4
1 10 010 0010 00010 101000 1110100 1 0 0 0 LG NB
1 10 010 0010 00010 101000 1010011 1 0 0 0 LG NB

55. 3.4467 1.2170 0.7331 0.0000 -0.8114 -1.0000 -1.7043 -1.8812 4
1 10 010 0010 11000 000001 1101010 1 0 0 0 LG NB
0 01 101 0111 01101 100001 0000000 2 1 0 0 EX

56. 3.3906 1.4983 0.5423 0.0000 -1.0000 -1.0000 -1.5177 -1.9135 4
1 10 010 0010 00010 101000 1010101 1 0 0 0 LG NB
1 10 010 1000 01010 110000 1100001 1 0 0 0 GL 1

57. 3.1211 1.4975 0.8466 0.1241 -0.4072 -1.3978 -1.8473 -1.9369 1
1 10 010 0010 00010 000010 1101011 1 0 0 0 EX
1 10 010 0010 00010 001100 1110100 1 0 0 0 EX

```

58. 3.2620 1.5763 0.4923 0.1545 -0.7247 -1.0000 -1.7990 -1.9614 1
1 10 010 1000 01010 110000 1110000 1 0 0 0 EX
1 10 010 0010 00010 101000 1111000 1 0 0 0 EX

59. 2.8950 2.0306 0.7316 0.0672 -1.0000 -1.0000 -1.7622 -1.9623 1
1 10 010 0010 00010 101000 0101110 1 0 0 0 EX
1 10 010 0010 01010 001010 0011010 1 0 0 0 EX

60. 3.2084 1.6723 0.6180 0.0944 -1.0000 -1.0000 -1.6180 -1.9750 1
1 10 010 0010 01010 010010 0101010 1 0 0 0 EX
1 10 010 0010 01000 001010 0011101 1 0 0 0 EX

61. 3.4122 1.4549 0.3966 0.1758 -1.0000 -1.0000 -1.4585 -1.9811 1
1 10 010 0010 01000 010100 0101011 1 0 0 0 EX
1 10 010 1000 10100 110000 1100001 1 0 0 0 EX

62. 3.4142 1.4142 0.5858 0.0000 -1.0000 -1.0000 -1.4142 -2.0000 56
0 01 101 1101 10011 010010 0000000 2 1 0 0 LG B
1 10 010 0010 00010 101000 1110001 1 0 0 0 EX

63. 3.5289 0.8326 0.6180 0.0000 0.0000 -1.3615 -1.6180 -2.0000 40
0 01 101 0011 11110 000101 0000000 2 1 0 0 GL 1
1 10 010 1100 00001 110000 1100100 1 0 0 0 EX

64. 3.3615 1.1674 0.6180 0.0000 0.0000 -1.5289 -1.6180 -2.0000 32
1 10 010 0010 11000 000001 1100110 1 0 0 0 LG B
0 01 101 1101 11001 100001 0000000 2 1 0 0 LG NB

65. 3.0594 1.5994 0.9045 0.2491 -0.8195 -1.3361 -1.6568 -2.0000 32
1 10 010 0010 00010 101000 0111100 1 0 0 0 LG B
1 10 010 0010 00010 101000 0011011 1 0 0 0 EX

66. 3.2647 1.5378 0.6491 0.0000 -0.7013 -1.0000 -1.7503 -2.0000 32
0 01 101 1101 11001 001100 0000000 2 1 0 0 LG NB
1 10 010 0010 10000 010100 1111000 1 0 0 0 EX

67. 3.1249 1.4142 1.0000 0.0000 -0.3633 -1.4142 -1.7616 -2.0000 24
1 10 010 0010 00010 101000 1010110 1 0 0 0 EX
1 10 010 0010 00010 101000 0011101 1 0 0 0 EX

68. 3.3839 1.0000 0.7424 0.0000 0.0000 -1.3279 -1.7985 -2.0000 24
1 10 010 1000 01000 110000 1111000 1 0 0 0 EX
0 01 101 1101 11001 000110 0000000 2 1 0 0 EX

69. 3.0600 1.8275 0.2920 0.0000 0.0000 -1.3102 -1.8694 -2.0000 16
1 10 010 0010 01000 010101 1100100 1 0 0 0 GL 1
1 10 010 0010 01000 101000 0101011 1 0 0 0 GL 1

70. 3.3707 1.2402 0.4369 0.0000 0.0000 -1.1601 -1.8877 -2.0000 16
1 10 010 0010 01000 110000 1100101 1 0 0 0 GL 1
1 10 010 1000 10100 110000 1110000 1 0 0 0 EX

71. 3.1847 1.3022 0.6993 0.5041 -0.6307 -1.1166 -1.9428 -2.0000 8
1 10 010 0010 00010 010010 1110001 1 0 0 0 EX
1 10 010 0010 00010 100000 1011011 1 0 0 0 EX

72. 3.0772 1.7151 0.7055 0.0000 -0.5520 -1.0000 -1.9459 -2.0000 8
1 10 010 0010 10000 010100 1100110 1 0 0 0 EX
1 10 010 0010 10000 010100 1011010 1 0 0 0 EX

73. 3.3429 1.4707 0.0000 0.0000 0.0000 -0.8136 -2.0000 -2.0000 176
1 10 010 0010 01000 001000 1111010 1 0 0 0 GL 2
1 10 010 1000 01000 101010 1010100 1 0 0 0 GL 3

74. 3.2361 1.0000 1.0000 0.0000 0.0000 -1.2361 -2.0000 -2.0000 144
0 01 101 1101 11100 100001 0000000 2 1 0 0 LG B
1 10 010 0010 10000 001100 1110001 1 0 0 0 EX

12 edges

75. 3.6458 2.0000 0.0000 -1.0000 -1.0000 -1.0000 -1.0000 -1.6458 16
0 01 011 0111 00001 000011 0000111 2 1 0 0 LG B
0 01 011 0111 00111 100000 1000001 2 0 0 1 GL 1

76. 3.8284 0.6180 0.6180 0.0000 0.0000 -1.6180 -1.6180 -1.8284 4
1 10 010 1100 00001 110010 1100100 1 0 0 0 GL 1
0 01 011 0111 00011 001010 0100100 2 1 0 0 EX
0 01 101 0011 11110 001101 0000000 2 1 0 0 EX

77. 3.6254 1.3337 0.6180 0.0000 -0.5865 -1.5349 -1.6180 -1.8378 4
1 10 010 0010 11000 000001 1110110 1 0 0 0 LG NB
0 01 101 0111 10011 010011 0000000 2 1 0 0 EX

78. 3.7759 1.1619 0.4209 0.0000 -0.5478 -1.2503 -1.6984 -1.8623 4
1 10 010 0010 11000 110000 1100011 1 0 0 0 GL 1
0 01 011 0111 00011 000011 0010100 2 1 0 0 EX

79. 3.5551 1.5695 0.7271 -0.3166 -1.0000 -1.0000 -1.6672 -1.8680 4
1 10 010 0010 00010 001010 1110101 1 0 0 0 LG NB
1 10 010 1100 00001 101000 1101100 1 0 0 0 LG NB

80. 3.5176 1.7640 0.3619 0.0000 -1.0000 -1.2800 -1.4704 -1.8931 4
1 10 010 0010 11000 101000 1101010 1 0 0 0 LG NB
1 10 010 1000 11000 101010 1100010 1 0 0 0 GL 1

81. 3.7161 1.4683 0.2514 0.0000 -1.0000 -1.0000 -1.5313 -1.9044 4
1 10 010 0010 01000 010101 0101011 1 0 0 0 GL 1

```

0 01 011 0111 00011 000011 0000101 2 1 0 0 EX

82. 3.4046 2.0530 0.4112 -0.4987 -1.0000 -1.0000 -1.4642 -1.9058 4
1 10 010 0010 01010 101000 1010101 1 0 0 0 LG NB
1 10 010 0010 11000 101010 1100010 1 0 0 0 LG NB

83. 3.3086 1.3815 1.2470 -0.2210 -0.4450 -1.5367 -1.8019 -1.9324 1
1 10 010 0010 00010 000011 1111100 1 0 0 0 EX
1 10 010 0010 00010 001110 1110100 1 0 0 0 EX

84. 3.4857 1.4233 0.7799 0.0774 -0.7549 -1.2556 -1.8076 -1.9483 1
1 10 010 0010 00010 101000 1010111 1 0 0 0 EX
1 10 010 0010 00010 000010 1111110 1 0 0 0 EX

85. 3.6166 1.4204 0.4756 0.1246 -1.0000 -1.0000 -1.6670 -1.9703 1
1 10 010 0010 00010 101000 1110101 1 0 0 0 EX
1 10 010 1010 11000 110000 1100010 1 0 0 0 EX
1 10 010 0010 01000 010100 1111001 1 0 0 0 EX

86. 3.6432 1.2526 0.6180 0.1166 -0.7232 -1.3188 -1.6180 -1.9704 1
1 10 010 0010 11000 000001 1101011 1 0 0 0 EX
1 10 010 0010 10000 110000 1110101 1 0 0 0 EX

87. 3.5699 1.6019 0.3587 0.1369 -1.0000 -1.2571 -1.4337 -1.9765 1
1 10 010 1000 10100 110000 1010110 1 0 0 0 EX
1 10 010 1000 01010 110000 1110001 1 0 0 0 EX

88. 3.4298 2.0130 0.3640 -0.4322 -1.0000 -1.0000 -1.3951 -1.9795 1
1 10 010 1000 01010 101000 1010101 1 0 0 0 EX
1 10 010 0010 01010 101000 1101010 1 0 0 0 EX

89. 3.3651 2.1222 0.4946 -1.0000 -1.0000 -1.0000 -1.0000 -1.9819 1
1 10 010 0010 01010 001010 1101010 1 0 0 0 EX
1 10 010 0010 01010 111000 0101010 1 0 0 0 EX

90. 3.8951 1.0000 0.3973 0.0000 -1.0000 -1.0000 -1.2924 -2.0000 60
0 01 011 0111 00111 000110 1000000 2 0 1 0 GL 1
0 01 011 0111 00011 000111 0000100 2 1 0 0 EX

91. 3.7217 1.5127 0.0000 0.0000 -0.6902 -1.0000 -1.5442 -2.0000 48
0 01 101 0111 10111 100001 0000000 2 1 0 0 LG NB
1 10 010 1000 01000 101010 1010101 1 0 0 0 GL 2

92. 3.4651 1.5096 0.6180 0.3000 -1.0000 -1.2746 -1.6180 -2.0000 32
1 10 010 0010 00010 101010 1010011 1 0 0 0 LG NB
1 10 010 0010 00010 101000 1011011 1 0 0 0 LG B
1 10 010 0010 00010 101000 1111100 1 0 0 0 EX
1 10 010 1000 10100 110000 1101100 1 0 0 0 EX

```

```

93.  3.4323  1.6076  0.7627  0.0000 -1.0000 -1.1505 -1.6521 -2.0000  32
    1 10 010 0010 01010 110000 1100101  1 0 0 0  LG B
    1 10 010 0010 00010 001010 0111101  1 0 0 0  LG B

94.  3.3234  2.0000  0.3579  0.0000 -1.0000 -1.0000 -1.6813 -2.0000  32
    1 10 010 0010 01010 110010 0101010  1 0 0 0  LG B
    1 10 010 0010 01010 101000 0101011  1 0 0 0  LG B

95.  3.6597  1.1461  0.7357  0.0000 -0.6264 -1.2228 -1.6923 -2.0000  32
    0 01 101 1101 11001 010011 0000000  2 1 0 0  LG NB
    1 10 010 0010 11000 000001 1111010  1 0 0 0  EX

96.  3.4533  1.5645  0.7380  0.0000 -1.0000 -1.0000 -1.7557 -2.0000  26
    1 10 010 0010 00010 001010 1010111  1 0 0 0  EX
    1 10 010 0010 01000 001110 1010101  1 0 0 0  EX

97.  3.3298  1.4838  1.0000  0.0000 -0.5288 -1.5081 -1.7768 -2.0000  18
    1 10 010 0010 00010 110000 1010111  1 0 0 0  EX
    1 10 010 0010 01000 001110 1110100  1 0 0 0  EX

98.  3.3322  1.4142  1.0948  0.0000 -0.6002 -1.4142 -1.8268 -2.0000  16
    1 10 010 0010 01000 110000 0111110  1 0 0 0  GL 1
    1 10 010 0010 00010 001110 0011011  1 0 0 0  EX

99.  3.2171  1.8041  1.0000 -0.1880 -1.0000 -1.0000 -1.8332 -2.0000  18
    1 10 010 0010 00010 001010 0101111  1 0 0 0  EX
    1 10 010 1000 01010 101000 0011011  1 0 0 0  EX

100. 3.4275  1.2549  0.7826  0.0000  0.0000 -1.5568 -1.9082 -2.0000  8
    1 10 010 0010 00010 001100 0111101  1 0 0 0  EX
    1 10 010 0010 01000 010110 1100101  1 0 0 0  EX

101. 3.3117  1.6570  0.6912  0.2728 -1.0000 -1.0000 -1.9327 -2.0000  8
    1 10 010 0010 01010 010010 1110001  1 0 0 0  EX
    1 10 010 0010 01000 001110 1111000  1 0 0 0  EX

102. 3.5557  1.3471  0.3320  0.0000  0.0000 -1.3007 -1.9340 -2.0000  8
    1 10 010 0010 01000 110100 1100101  1 0 0 0  EX
    1 10 010 0010 01000 110100 1111000  1 0 0 0  EX

103. 3.5141  1.5720  0.0000  0.0000  0.0000 -1.0861 -2.0000 -2.0000  144
    0 01 101 1101 11100 011001 0000000  2 1 0 0  LG B
    1 10 010 0010 01000 101010 1110100  1 0 0 0  GL 1

104. 3.4142  1.4142  0.5858  0.0000  0.0000 -1.4142 -2.0000 -2.0000  112
    1 10 010 0010 00010 110010 1100011  1 0 0 0  LG B
    1 10 010 0010 01000 001000 0111111  1 0 0 0  GL 2

```

13 edges

105. 3.8455 1.1389 0.6180 0.1424 -0.4862 -1.6180 -1.6959 -1.9447 1
 1 10 010 0010 11000 000001 1111011 1 0 0 0 EX
 1 10 010 0010 11000 110000 1111010 1 0 0 0 EX

106. 3.7699 1.4880 0.7051 -0.2165 -1.0000 -1.0000 -1.7974 -1.9492 1
 1 10 010 0010 00010 101010 1010111 1 0 0 0 EX
 1 10 010 0010 01010 001101 0101011 1 0 0 0 EX

107. 3.8964 1.3612 0.6180 -0.2870 -1.0000 -1.0000 -1.6180 -1.9705 1
 1 10 010 0010 00010 111000 1110101 1 0 0 0 EX
 1 10 010 1100 00001 101000 1110101 1 0 0 0 EX

108. 3.8653 1.4447 0.7318 -0.5857 -1.0000 -1.0000 -1.4806 -1.9753 1
 1 10 010 0010 01010 110000 1101011 1 0 0 0 EX
 1 10 010 1000 10100 110010 1100101 1 0 0 0 EX

109. 3.9452 1.0856 0.6180 0.0000 -0.7037 -1.3272 -1.6180 -2.0000 32
 0 01 101 1101 01111 010011 0000000 2 1 0 0 LG NB
 1 10 010 0010 10000 111000 1111001 1 0 0 0 EX

110. 3.6611 1.6057 0.5227 0.0000 -0.4775 -1.5282 -1.7837 -2.0000 16
 1 10 010 0010 00010 110010 1101011 1 0 0 0 LG NB
 1 10 010 0010 01010 101100 1101001 1 0 0 0 LG NB

111. 3.6196 1.6973 0.6352 0.0000 -1.0000 -1.1176 -1.8344 -2.0000 16
 1 10 010 0010 00010 101010 1011011 1 0 0 0 LG NB
 1 10 010 0010 01000 001010 0111111 1 0 0 0 GL 1

112. 3.5366 2.0000 0.3068 0.0000 -1.0000 -1.0000 -1.8434 -2.0000 16
 1 10 010 0010 01010 101010 1110100 1 0 0 0 LG NB
 1 10 010 0010 01010 101010 1011001 1 0 0 0 LG NB

113. 3.6533 1.4345 1.0000 -0.2024 -1.0000 -1.0000 -1.8854 -2.0000 12
 1 10 010 0010 00010 001011 1010111 1 0 0 0 EX
 1 10 010 0010 01010 001101 1101010 1 0 0 0 EX

114. 3.5383 1.5912 0.7054 0.2598 -0.6677 -1.5327 -1.8943 -2.0000 8
 1 10 010 0010 00010 110010 1111010 1 0 0 0 EX
 1 10 010 0010 01010 101100 1110010 1 0 0 0 EX

115. 3.6928 1.3254 0.9009 0.0000 -0.7693 -1.2262 -1.9235 -2.0000 8
 1 10 010 0010 00010 001110 0111101 1 0 0 0 EX
 1 10 010 0010 00010 111000 1111100 1 0 0 0 EX

116. 3.8529 1.1181 0.7045 0.0000 -0.5929 -1.1504 -1.9322 -2.0000 8
 1 10 010 1000 10100 101010 1010110 1 0 0 0 EX
 1 10 010 0010 10000 110001 1100111 1 0 0 0 EX

117. 4.0000 1.0000 0.0000 0.0000 0.0000 -1.0000 -2.0000 -2.0000 144
 0 01 011 0011 01011 011011 1000000 2 0 1 0 LG NB
 1 10 010 1000 11000 110000 1101011 1 0 0 0 GL 2

118. 3.7321 1.0000 1.0000 0.2679 -1.0000 -1.0000 -2.0000 -2.0000 117
 1 10 010 0010 10000 000001 1111111 1 0 0 0 EX
 1 10 100 1100 10100 111000 1000110 1 0 0 0 EX
 1 10 010 0010 10000 111000 1111100 1 0 0 0 EX

119. 3.7785 1.0000 0.7108 0.0000 0.0000 -1.4893 -2.0000 -2.0000 96
 0 01 101 1101 01111 111000 0000000 2 1 0 0 LG NB
 1 10 010 1000 01000 110000 1111110 1 0 0 0 GL 2

14 edges

120. 4.2860 0.8098 0.6180 0.0000 -1.0000 -1.2460 -1.6180 -1.8498 4
 1 10 010 1100 00001 110010 1110101 1 0 0 0 LG NB
 0 01 101 0011 11110 011111 0000000 2 1 0 0 EX

121. 4.0363 1.4190 0.7396 -0.4803 -1.0000 -1.0000 -1.7640 -1.9507 1
 1 10 100 1100 10100 110100 1101001 1 0 0 0 EX
 1 10 010 0010 01010 110000 1111011 1 0 0 0 EX

122. 3.9895 1.7321 0.3417 -0.3750 -1.0000 -1.0000 -1.7321 -1.9561 1
 1 10 010 0010 01010 010101 1111010 1 0 0 0 EX
 1 10 100 1100 10100 110010 1110010 1 0 0 0 EX

123. 4.0507 1.4375 0.3604 0.1094 -1.0000 -1.3407 -1.6605 -1.9569 1
 1 10 010 0010 01000 110100 1111101 1 0 0 0 EX
 1 10 010 0010 11000 101000 1111011 1 0 0 0 EX

124. 3.9595 1.7980 0.4717 -0.6624 -1.0000 -1.0000 -1.6002 -1.9666 1
 1 10 010 0010 01010 111000 1110101 1 0 0 0 EX
 1 10 010 1000 01010 101000 1111011 1 0 0 0 EX

125. 4.3723 1.0000 0.0000 0.0000 -1.0000 -1.0000 -1.3723 -2.0000 48
 0 01 101 0111 10111 001111 0000000 2 1 0 0 LG NB
 0 01 011 0111 00111 010111 1000000 2 0 1 0 GL 2

126. 3.9929 1.1986 0.6180 0.3074 -0.8005 -1.6180 -1.6984 -2.0000 16
 1 10 010 0010 11000 000001 1111111 1 0 0 0 EX
 1 10 100 1100 10100 111000 1100110 1 0 0 0 EX

127. 4.2015 1.0000 0.5451 0.0000 -1.0000 -1.0000 -1.7466 -2.0000 24
 1 10 010 1000 01000 111100 1111001 1 0 0 0 EX
 0 01 011 0011 01011 000111 0101010 2 1 0 0 EX

128. 3.9378 1.5264 0.5900 0.0000 -1.0000 -1.2511 -1.8030 -2.0000 16
 1 10 010 0010 01000 010101 0111111 1 0 0 0 GL 1

```

1 10 010 0010 00010 101000 1111111 1 0 0 0 EX

129. 3.6758 1.7321 0.8446 0.0000 -0.7128 -1.7321 -1.8075 -2.0000 8
1 10 010 0010 00010 101011 0101111 1 0 0 0 EX
1 10 010 0010 01010 001101 1111100 1 0 0 0 EX

130. 3.8284 1.6180 0.6180 0.0000 -0.6180 -1.6180 -1.8284 -2.0000 10
1 10 010 0010 01010 010010 1111101 1 0 0 0 EX
1 10 010 0010 01000 001110 1111011 1 0 0 0 EX

131. 3.8519 1.4762 0.7562 0.0000 -0.6274 -1.5808 -1.8760 -2.0000 8
1 10 010 0010 00010 101011 1011011 1 0 0 0 EX
1 10 010 0010 01010 001101 1111001 1 0 0 0 EX

132. 3.8397 1.4910 0.7434 0.1823 -1.0000 -1.3586 -1.8978 -2.0000 8
1 10 010 0010 01010 010010 1111110 1 0 0 0 EX
1 10 010 0010 01000 001110 1110111 1 0 0 0 EX

133. 3.9970 1.2922 0.5713 0.0000 -0.4828 -1.4771 -1.9007 -2.0000 8
1 10 010 0010 10000 110101 1100111 1 0 0 0 EX
1 10 010 0010 00010 110010 1111101 1 0 0 0 EX
1 10 010 0010 10000 110101 1011011 1 0 0 0 EX

134. 4.0048 1.1174 0.6785 0.3012 -0.8581 -1.3351 -1.9087 -2.0000 8
1 10 010 0010 00110 101001 1110011 1 0 0 0 EX
1 10 010 1000 10100 111000 1111010 1 0 0 0 EX

135. 3.9208 1.6847 0.3153 0.0000 -1.0000 -1.0000 -1.9208 -2.0000 8
1 10 010 0010 01010 110010 1101011 1 0 0 0 EX
1 10 010 0010 01010 101100 1101011 1 0 0 0 EX
1 10 010 1000 01010 111000 1111010 1 0 0 0 EX

136. 4.0000 1.0000 1.0000 0.0000 -1.0000 -1.0000 -2.0000 -2.0000 108
1 10 010 1000 10100 100010 1011111 1 0 0 0 EX
1 10 010 1000 01000 111100 1100111 1 0 0 0 EX
1 10 010 0010 00110 111000 1110011 1 0 0 0 EX

137. 3.6813 1.6421 1.0000 0.0000 -1.0000 -1.3234 -2.0000 -2.0000 84
1 10 010 0010 01010 110010 0111110 1 0 0 0 LG B
1 10 010 0010 01010 101100 0111110 1 0 0 0 LG B

```

15 edges

```

138. 4.2067 1.3376 0.6180 0.0552 -1.0000 -1.6180 -1.6708 -1.9286 1
1 10 010 1100 00001 101000 1111111 1 0 0 0 EX
1 10 010 1010 11000 110000 1111110 1 0 0 0 EX

139. 4.2347 1.6565 0.4383 -0.6926 -1.0000 -1.0000 -1.6798 -1.9570 1
1 10 010 1000 10100 110110 1101101 1 0 0 0 EX

```

```

1 10 010 0010 01010 111000 1111011 1 0 0 0 EX

140. 4.0890 1.6512 0.3331 0.0000 -0.5880 -1.6348 -1.8505 -2.0000 8
1 10 010 0010 01010 110010 1111101 1 0 0 0 EX
1 10 010 0010 01010 101100 1111101 1 0 0 0 EX
1 10 010 1000 01010 101110 1111001 1 0 0 0 EX

141. 4.1903 1.2733 1.0000 -0.6051 -1.0000 -1.0000 -1.8585 -2.0000 12
1 10 010 0010 00011 111100 1111001 1 0 0 0 EX
1 10 010 1000 10100 110010 1111011 1 0 0 0 EX

142. 4.1369 1.1785 0.8447 0.1820 -0.9159 -1.5669 -1.8593 -2.0000 8
1 10 010 0010 00110 111010 1110011 1 0 0 0 EX
1 10 010 0010 01000 111100 0111111 1 0 0 0 EX

143. 4.1055 1.4142 0.7765 0.0000 -1.0000 -1.4142 -1.8820 -2.0000 8
1 10 010 0010 00010 101011 1111101 1 0 0 0 EX
1 10 010 0010 01010 001101 0111111 1 0 0 0 EX

144. 4.2190 1.4142 0.3641 0.0000 -0.6866 -1.4142 -1.8964 -2.0000 8
1 10 100 1100 10100 111010 1110010 1 0 0 0 EX
1 10 010 0010 11000 111010 1100111 1 0 0 0 EX

145. 4.0398 1.6616 0.8991 -0.6961 -1.0000 -1.0000 -1.9043 -2.0000 8
1 10 010 0010 01010 001111 1101011 1 0 0 0 EX
1 10 010 0010 01010 111000 1111110 1 0 0 0 EX

146. 4.2620 1.0000 0.5665 0.3512 -1.0000 -1.1796 -2.0000 -2.0000 93
1 10 010 0010 10000 111000 1111111 1 0 0 0 EX
1 10 100 1100 10100 111000 1110110 1 0 0 0 EX

147. 4.0280 1.2953 1.0000 0.0000 -0.7151 -1.6082 -2.0000 -2.0000 60
1 10 010 0010 00011 111100 0111101 1 0 0 0 LG NB
1 10 010 0010 00110 111000 1111110 1 0 0 0 EX

148. 3.8781 1.5834 1.0000 0.0000 -0.7704 -1.6911 -2.0000 -2.0000 48
1 10 010 0010 01011 101100 0111110 1 0 0 0 LG NB
1 10 010 0010 01011 111010 1010110 1 0 0 0 LG NB

```

16 edges

```

149. 4.5505 1.4903 0.3648 -1.0000 -1.0000 -1.0000 -1.4385 -1.9671 1
1 10 100 1100 10100 110110 1101101 1 0 0 0 EX
1 10 010 1010 11000 110001 1110111 1 0 0 0 EX

150. 4.5616 0.6180 0.6180 0.4384 -1.0000 -1.6180 -1.6180 -2.0000 16
1 10 010 1100 00001 110010 1111111 1 0 0 0 EX
1 10 010 1100 11000 110010 1111101 1 0 0 0 EX
1 10 100 1000 11100 110101 1011011 1 0 0 0 EX

```

151. 4.3250 1.4781 0.6952 -0.1629 -1.0000 -1.5313 -1.8041 -2.0000 10
1 10 010 0010 00010 101011 1111111 1 0 0 0 EX
1 10 010 0010 01010 001101 1111111 1 0 0 0 EX

152. 4.3630 1.2628 0.6180 0.1989 -1.0000 -1.6180 -1.8248 -2.0000 8
1 10 010 0010 00010 011110 1111111 1 0 0 0 EX
1 10 010 0010 01000 011111 1111101 1 0 0 0 EX

153. 4.3510 1.3105 0.7352 0.0000 -1.0000 -1.5518 -1.8448 -2.0000 8
1 10 010 0010 01011 110101 1100111 1 0 0 0 EX
1 10 010 0010 11000 110011 1111101 1 0 0 0 EX

154. 4.3186 1.5918 0.4244 0.0000 -1.0000 -1.4726 -1.8622 -2.0000 8
1 10 010 0010 01010 110010 1111111 1 0 0 0 EX
1 10 010 1000 10100 110110 1011111 1 0 0 0 EX
1 10 010 0010 01010 101100 1111111 1 0 0 0 EX

155. 4.3135 1.4674 0.8661 -0.4378 -1.0000 -1.3312 -1.8780 -2.0000 8
1 10 010 0010 11000 011110 1111101 1 0 0 0 EX
1 10 010 0010 01010 111100 0111111 1 0 0 0 EX

156. 4.5443 1.1412 0.3561 0.0000 -1.0000 -1.1374 -1.9043 -2.0000 8
1 10 010 1000 10100 101011 1011111 1 0 0 0 EX
1 10 100 1100 10100 111010 1100111 1 0 0 0 EX

157. 4.5188 1.3907 0.0000 0.0000 -1.0000 -1.0000 -1.9095 -2.0000 8
1 10 010 0010 11010 110011 1101011 1 0 0 0 EX
1 10 010 0010 11010 111100 1101011 1 0 0 0 EX

17 edges

158. 4.7443 0.8568 0.6180 0.0729 -1.0000 -1.6180 -1.7979 -1.8761 1
1 10 010 1100 00001 111010 1111111 1 0 0 0 EX
1 10 010 1000 11000 111101 1101111 1 0 0 0 EX

159. 4.6569 1.1636 0.5313 0.0000 -1.0000 -1.5027 -1.8491 -2.0000 8
1 10 010 0010 11000 110011 1111111 1 0 0 0 EX
1 10 010 1000 10100 101111 1111011 1 0 0 0 EX

160. 4.5047 1.0000 1.0000 0.1354 -1.0000 -1.6400 -2.0000 -2.0000 45
1 10 010 0010 00011 011110 1111111 1 0 0 0 EX
1 10 010 0010 00110 111110 0111111 1 0 0 0 EX

18 edges

161. 4.9291 0.8145 0.6180 0.0000 -1.0000 -1.6180 -1.7436 -2.0000 10
1 10 010 1100 00001 111110 1111111 1 0 0 0 EX
1 10 010 1100 11000 111110 1111101 1 0 0 0 EX

```

162.  4.8260  1.3639  0.2110  0.0000 -1.0000 -1.5958 -1.8051 -2.0000  8
      1 10 010 0010 11010 110011 1111111  1 0 0 0  EX
      1 10 010 1000 10101 111101 1011111  1 0 0 0  EX
      1 10 010 0010 11010 111100 1111111  1 0 0 0  EX

163.  4.7016  1.0000  1.0000  0.0000 -1.0000 -1.7016 -2.0000 -2.0000 36
      1 10 010 0010 10110 011110 1111111  1 0 0 0  EX
      1 10 010 1011 01110 110110 1101101  1 0 0 0  EX
      1 10 010 0010 11100 111110 0111111  1 0 0 0  EX

164.  4.6458  1.7321  0.0000  0.0000 -0.6458 -1.7321 -2.0000 -2.0000 36
      1 10 010 1010 01110 101110 1111011  1 0 0 0  EX
      1 10 010 1010 01110 111101 1110110  1 0 0 0  EX

```

19 edges

```

165.  5.0884  1.0883  0.2467  0.0000 -1.0000 -1.6693 -1.7541 -2.0000  8
      1 10 010 0010 10110 111101 1111111  1 0 0 0  EX
      1 10 010 1000 10111 111101 1111011  1 0 0 0  EX

166.  4.9095  1.6093  0.0000  0.0000 -1.0000 -1.5188 -2.0000 -2.0000 48
      1 10 010 1010 01110 101110 1111111  1 0 0 0  LG NB
      1 10 010 1010 11010 111110 1011111  1 0 0 0  LG NB

```

20 edges

```

167.  5.2588  1.0000  0.2518  0.0000 -1.0000 -1.5106 -2.0000 -2.0000 48
      1 10 010 0010 10110 111111 1111111  1 0 0 0  EX
      1 10 010 1000 10111 111101 1111111  1 0 0 0  EX

```

22 edges

```

168.  5.6056  1.0000  0.0000  0.0000 -1.0000 -1.6056 -2.0000 -2.0000 36
      1 10 010 1011 01110 111111 1111111  1 0 0 0  EX
      1 10 010 1011 11011 111110 1111111  1 0 0 0  EX

```

Bibliography

- [1] Brouwer A.E., Cohen A.M., Neumaier A., Distance-Regular Graphs, Springer-Verlag, Berlin, 1989.
- [2] Bussemaker F.C., Neumaier A., Exceptional graphs with smallest eigenvalue -2 and related problems, *Mathematics of Computation* **59** (1992), 583–608.
- [3] Cameron P.J., Goethals J.M., Seidel J.J., Shult E.E., Line graphs, root systems, and elliptic geometry, *J. Algebra* **43** (1976), 305–327.
- [4] Cameron P.J., Lint J.H. van, Designs, Graphs, Codes and Their Links, Cambridge University Press, Cambridge, 1991.
- [5] Cvetković D., Graphs with least eigenvalue -2 : A historical survey and recent developments in maximal exceptional graphs, *Linear Algebra Appl.*, 356(2002), 189–210.
- [6] Cvetković D., Doob M., Sachs H., Spectra of Graphs, 3rd edition, Johann Ambrosius Barth Verlag, Heidelberg - Leipzig, 1995.
- [7] Cvetković D., Lepović M., Sets of cospectral graphs with least eigenvalue -2 and some related results, *Bull. Acad. Serbe Sci. Arts, Cl. Sci. Math. Natur., Sci. Math.*, 129(2004), No. 29, 85–102.
- [8] Cvetković D., Rowlinson P., Simić S.K., Eigenspaces of Graphs, Cambridge University Press, Cambridge, 1997.
- [9] Cvetković D., Rowlinson P., Simić S.K., Spectral Generalizations of Line Graphs, On Graphs with Least Eigenvalue -2 , Cambridge University Press, Cambridge, 2004.

Faculty of Electrical Engineering,
University of Belgrade,
P.O.Box 35–54,
11120 Belgrade,
Serbia and Montenegro
E-mail: ecvetkod@etf.bg.ac.yu

Faculty of Sciences,
University of Kragujevac,
R. Domanovića 12,
3400 Kragujevac,
Serbia and Montenegro
E-mail: lepovic@knez.uis.kg.ac.yu