

**Директору Математичког института САНУ
Проф. др Зорану Огњановићу
Научном већу Математичког института САНУ
академику Драгошу Цветковићу**

**Стручни извештај
о учешћу у научним скуповима у септембру 2015 године**

I*

The 14th International Conference of Tensor Society on Differential Geometry and its Applications, and Informatics. Held at Tsukuba University, Tsukuba, Japan, Sept. 7–12, 2015. Organized by Tensor Society (Tokyo) and University of Tsukuba for mutual Progress.
c/o Kawaguchi Inst. of Math. Soc. Sengen 1-13-33, Tsukuba, Japan.
E-mail: tensor-ns@nifty.ne.jp, kawaguchi_tom@ybb.ne.jp

President of Tensor Society, Prof., Dr. Tomoaki KAWAGUCHI, Tensor Society (Tokyo). c/o Kawaguchi Inst. of Math. Soc. Sengen 1-13-33, Tsukuba, Japan. E-mail: tensor-ns@nifty.ne.jp, kawaguchi_tom@ybb.ne.jp

Моје учешће у раду овог традиционалне међународне конференције диференцијалне геометрије и примена је реализовано следећим активностима:

- * Чланством у председништву Конференције на отварању Конференције, а на предлог академика Милеве Првановић и председника Тензор друштва (Tensor Society (Tokyo)) професора Томоаки Кавагучија. Тим предлозима сам била заиста почастована;
- * Председавањем другом пленарном седницом Конференције;
- * Учешћем питањима и коментарима на седницама Конференције;
- * Чланством у Редакционом одбору часописа TENSOR Јапанског друштва Tensor Society;
- * Одржаним 90-томинутним пленарним предавањем по позиву, под насловом:

Katica R. (Stevanović) Hedrih, **Structural, qualitative and mathematical analogies: Theorems of mechanical energy change in dynamics of discrete fractional order system and of a multi-deformable body fractional order system**, Dedicated to 80th Anniversary of Tensor Society President-Professor-Scientist Tomokai Kawaguchi's birthday, 90minutes Onvited Plenary Lecture, **The 14th International Conference of Tensor Society on Differential Geometry and its Applications, and Informatics.** Tensor Society (Tokyo) and University of Tsukuba for mutual Progress. Tsukuba, Japan, , Sept. 7–12, 2015., Abstracts, 2015, pp/ 2–3.

После одржаног предавања постављена су ми два питања, на која сам са задовољством одговорила. Кп,шчетам рад ће бити публикован у наредном броју часописа TENSOR Јапанског друштва Tensor Society. Цасопис се публикује већ 75 година!

Организација Конференције је била добра, предавања и саопстења на високом научном нивоу. На овој конференцији је било мање учесника него ранијих година, јер је због економске кризе отсуствовала група истраживача из Румуније, академика Раду Мирона.

С поштовањем,

У Београду, 25 септембра 2015.

Катица (Стивановић) Хедрих

Katica R. (Stevanović) Hedrih
Руководилац пројекта OM174001

II*

THE 3rd INTERNATIONAL CONFERE MECHANICAL ENGINEERING IN XXI CENTURY, POCEEDING, September 17 - 18, 2015, NIŠ, Faculty of Mechanical Engineering University of Niš, pp.

У програму ове конференције била су заступљена три моја рада. Два рада су увршћена у регуларни део Конференције, а један је увршћен у део програма, који је посвећен животним јубилејима мојих некадашњих студената, од којих је један бранио докторску дисертацију пред комисијом цији сам члан била на почетку моје универзитетске активности. Тада програм је био под називом:

MECHATRONICS AND CONTROL, COLLOQUIUM IN HONOUR OF THE 65TH BIRTHDAY OF PROF. NENAD D. PAVLOVIĆ AND PROF. TOMISLAV PETROVIĆ

Сва три моја рада су публикована у Конференцијском Зборнику, рецензираних радова. Списак тих публикованих радова са библиографским подацима је у прилогу:

Katica (Stevanović) HEDRIH, Elements of Geometry, Kinematics and Dynamics of Billiards, MECHATRONICS AND CONTROL, COLLOQUIUM IN HONOUR OF THE 65TH BIRTHDAY OF PROF. NENAD D. PAVLOVIĆ AND PROF. TOMISLAV PETROVIĆ, THE 3rd INTERNATIONAL CONFERE MECHANICAL ENGINEERING IN XXI CENTURY, POCEEDING, September 17 - 18, 2015, NIŠ, Faculty of Mechanical Engineering University of Niš, pp. 313–318. Hard Copy ISBN 978-86-6055-072-1 and CD.

Katica R. (STEVANOVIC) HEDRIH, Velocities of the Basic Vectors of a Tangent Space Of Moving Mass Particle Vector Position In Curvilinear Coordinate Systems, THEORETICAL AND APPLIED MECHANICS AND MATHEMATICS, THE 3rd INTERNATIONAL CONFERE MECHANICAL ENGINEERING IN XXI CENTURY, POCEEDING, September 17 - 18, 2015, NIŠ, Faculty of Mechanical Engineering University of Niš, pp. 449–454. Hard Copy ISBN 978-86-6055-072-1 and CD.

Katica R. (STEVANOVIC) HEDRIH, The Fractional Order System Oscillations: Analytical Theory and Examples, THEORETICAL AND APPLIED MECHANICS AND MATHEMATICS, THE 3rd INTERNATIONAL CONFERE MECHANICAL ENGINEERING IN XXI CENTURY, POCEEDING, September 17 - 18, 2015, NIŠ, Faculty of Mechanical Engineering University of Niš, pp. 455–460. Hard Copy ISBN 978-86-6055-072-1 and CD.

С поштовањем,

У Београду, 25 септембра 2015.

Катица (Стефановић) Хедрих

Katica R. (Stevanović) Hedrih
Руководилац пројекта OM174001

III*

**XIII КОНФЕРЕНЦИЈА
ДИГИТАЛИЗАЦИЈА КУЛТУРНЕ БАШТИНЕ И ДИГИТАЛНА ХУМАНИСТИКА
(национални скуп са међународним учешћем)**

Београд, 10 - 11. септембар 2015

XIII konferencija Digitalzacija kulturne bastine i digitalna humanistika, Beograd, 10. i 11. 9. 2015.

За ову конференцију пријавила сма три саопћитења:

Катица Р. (Стевановић) Хедрих,

1* Татомир Анђелић, Данило Расковић и тензорски рачун у Србији

**2* Одељење за механику и Семинар механике Математичког института САНУ у периоду новембар
2010-август 2011 године**

3* Пола века Катедре за механику Масинског факултета Универзитета у Нишу.

Због подударности термина боравка у Јапану, послала сам Организаторима два постера са прво саопштење, и ПДФ фајл за друго саопштење уз комплетиран текст за постављање у базу електронске библиотеке. Наравно све то уз извиђење што лично већу учествовати.

Треће саопћитење сам одложила за следећу конференцију да тада исто саопћим.-

С поштовањем,

У Београду, 25 септембра 2015.

Катица (Стевановић) Хедрих

Katica R. (Stevanović) Hedrih
Руководилац пројекта OM174001

TENSOR SOCIETY
c/o Kawaguchi Institute of Mathematical Sciences
Sengen 1-13-33, Tsukuba, 305-0047 Tsukuba, Japan
Tel. 81-(0)29-851-5615, Fax 81-(0)29-856-6576
E-mail: tensor_ns@nifty.ne.jp kawaguchi_tom@ybb.ne.jp



President: Prof. Tomoaki KAWAGUCHI, Dr. of Eng.

Academician, Professor, Dr. Katica R. (Stevanović) Hedrih
Mathematical Institute Serbian Academy of Science and Arts, Belgrade
(and Faculty of Mechanical Engineering University of Niš)
ul. Vojvode Tankosića 3/22, 18000 Niš, Serbia
E-mail: khedrih@eunet.rs, katica@masfrak.ni.ac.rs, khedrih@sbb.rs

Tsukuba, May 11, 2015

Dear Academician, Professor, Dr. Katica R. (Stevanovic),

On behalf of Tensor Society, we would like to invite you with our great pleasure to "The 14th International Conference of Tensor Society on the Differential Geometry and its Applications, Sept. 7-12, 2015 held" at University of Tsukuba, Tsukuba, Japan, and it is very happy for us if you could present and talk some scientific activities in your special fields.

Looking forward to hearing from you concerning the above matter at your earliest convenience,

Sincerely yours

Professor, Dr. Tomoaki KAWAGUCHI

Tomoaki Kawaguchi

President of Tensor Society



テ ン ゾ ル 学 会

TENSOR

Edited by

Tomoaki KAWAGUCHI

With the cooperation of

S. AMARI
S. IGARASHI
R. MIRON
Y. SATO
L. TAMÁSSY

W.-G. BOSKOFF
H. KAWAGUCHI
M. PRVANOVIC
H. SHIMADA

K. (STEVANOVIĆ) HEDRIH
K. MATSUMOTO
M. SATO
M. SHIMBO

NEW SERIES

Volume 74, Number 3

December 2013

©

PUBLISHED BY

**THE TENSOR SOCIETY
CHIGASAKI, JAPAN**



テンソル學会
Tensor Society



筑波大学
University of Tsukuba

The 14th INTERNATIONAL CONFERENCE OF TENSOR SOCIETY
DIFFERENTIAL GEOMETRY AND ITS APPLICATIONS,
AND INFORMATICS BESIDES

— Joint Conference of Tensor Society and University of Tsukuba —
held at University of Tsukuba, Tsukuba, Japan, Sept. 7-12, 2015

<The First Announcement>

Location : International conference room, University of Tsukuba

Organizing committee :

Honorary President : Shoji WATANABE (Tokyo)

President : Tomoaki KAWAGUCHI (Tokyo)

Local President : Mika SATO (Tsukuba)

Vice President : Hiroaki KAWAGUCHI (Chigasaki)

Members : Shun-ichi AMARI (Tokyo), Hiroshi ENDO (Tokyo),
Shigeru IGARASHI (Tsukuba), Toyoko KASHIWADA (Tokyo),
Akemi KAWAGUCHI (Tsukuba), Koji MATSUMOTO (Yamagata)
Tetsuya MIZUTANI (Tsukuba), Masaru SHIMBO (Sapporo).

The conference covers various research fields as follows :

1. Riemannian geometry and its Applications,
2. Finslerian geometry, its Applications and Higher order geometry,
3. Information geometry and its Applications,
4. Electromagnetics and Relativity,
5. Informatics,
6. Miscellaneous subject

Participation fees :

- 1 . US \$ 200.00 for a member of Tensor Society
(for Japanese people : ¥20,000)
- 2 . US \$ 50.00 for an accompanied person by a member
(for Japanese people : ¥5,000)
- 3 . US \$ 250.00 for a non-member of Tensor Society
(for Japanese people : ¥25,000)
- 4 . US \$ 75.00 for an accompanied person by a non-member
(for Japanese people : ¥7,500)

Accommodation and Meals :

We can offer that every foreigner and Japanese member of the society stay at University hotel at a resonable price. The cost and its item will be notified by the second information given at the end of May, 2015.

Correspondences:

Dr. Tomoaki KAWAGUCHI
Tensor Society (Tsukuba)
c/o Kawaguchi Inst.of Math.Sci.
Sengen 1-13-33, Tsukuba, Japan
E-mail: tensor-ns@nifty.ne.jp
Tel: 81-(0)29-851-5615 (Tsukuba)
Fax: 81-(0)29-856-6576
Tel/Fax: 81-(0)3-3947-3910 (Tokyo)
Mobile: 81-090-9150-4681

Dr. Hiroaki KAWAGUCHI
Tensor Society (Chigasaki)
c/o Kawaguchi Inst.of Math.Sci.
Matsu-ga-oka 2-7-15, Chigasaki, Japan
E-mail: tensorsoociety@ybb.ne.jp
Tel: 81-(0)467-83-3914 (Chigasaki)
Fax: 81-(0)467-86-4713
Tel/Fax: 81-(0)44-954-0427
Mobile: 81-090-9953-9533

THE 14th INTERNATIONAL CONFERENCE OF TENSOR SOCIETY
Organized by Tensor Society and University of Tsukuba for mutual Progress,
Held at Tsukuba, Japan, Sept. 7-12, 2015

P R O G R A M

テンゾル学会

(TENSOR SOCIETY)

THE 14th INTERNATIONAL CONFERENCE OF TENSOR SOCIETY

Program

September 8 (Tuesday), 2015

10:00~10:15 Opening Ceremony

Chairwoman: Prof. Mileva PRVANOVIC (Serbian Academy, Belgrade)

10:15~10:45 Lecture by Takayoshi Ootsuka.

Title: A definition of Finsler connection from the point-Finsler viewpoint.

10:45~11:15 Lecture by Takayoshi Ootsuka, Ryoko Yahagi, Muneyuki Ishida and Erico Tanaka.

Title: Energy-momentum conservation laws in Finsler / Kawaguchi Lagrangian formulation.

11:15~11:30 Coffee break.

11:30~12:00 Lecture by Erico Tanaka, Takayoshi Ootsuka, Ryoko Yahagi and Muneyuki Ishida.

Title: Relativity and Energy momentum currents by the framework of Kawaguchi geometry.

12:00~13:30 Lunch time.

Chairwoman: Prof. Katica R. (Stevanovic) HEDRIH (Serbian Academy, Belgrade)

13:30~14:00 Lecture by Tetsuya Nagano.

Title: Linear parallel displacement and the torsion tensor field P.

14:00~14:30 Lecture by Tadashi Aikou and Haripamyu.

Title: An example of Rizza-negative structures.

14:30~17:00 Free speech.

September 9 (Wednesday), 2015

Chairman: Prof. Koji MATSUMOTO (Yamagata)

10:00~10:30 Lecture by Masaru Shimbo, Jun Toyama and Masashi Shimbo.

Title: The Origin of the Flash Lag Illusion in the Non-Riemannian Multisensory System.

10:30~12:00 Lecture by Katica R. (Stevanovic) Hedrih.

Title: Structural, qualitative and mathematical analogies: Theorems of Mechanical energy change in dynamical system of discrete fractional order and in a multi-deformable body fractional order system.

12:00~13:30 Lunch time.

September 10 (Thursday), 2015

Chairman: Prof. Tadashi AIKOU (Kagoshima)

10:00~11:00 Lecture by Mileva Prvanovic.

Title: Some properties of locally decomposable Riemannian manifold and Kaehler manifolds of generalized quasi constant curvature.

11:00~11:30 Lecture by Koji Matsumoto

Title: Some curvaturelike Field of an almost Contact Riemannian Manifold.

11:30~13:30 Lunch time.

Chairman: Prof. Tetsuya Nagano (Nagasaki)

13:30~14:00 Lecture by Toyoko KASHIWADA

Title: A generalized Hopf manifold admitting a certain symmetric property.

14:00~14:30 Lecture by Zerrin Senturk.

Title: On curvature properties of locally conformal Kaehler space forms.

14:30~15:00 Coffee break.

THE 14th INTERNATIONAL CONFERENCE OF TENSOR SOCIETY
Organized by Tensor Society and University of Tsukuba for mutual Progress,
Held at Tsukuba, Japan, Sept. 7-12, 2015

A B S T R A C T

テンソル学会

(TENSOR SOCIETY)

Katica R. (Stevanovic) Hedrih: Structural, qualitative and mathematical analogies: Theorems of mechanical energy change in dynamics of discrete fractional order system and of a multi-deformable body fractional order system.

(Dedicated to 80th Anniversary of Tensor Society,

President-Professor-Scientist Society,

A series of theorems of mechanical energy change in dynamics of discrete fractional order system and of a multi-deformable body fractional order system are defined with corresponding proofs. Using structural, qualitative and mathematical analogies between mechanical chain system and electrical chain system the theorems of total mechanical energy change in mechanical fractional order system are presented as analogous with the theorems of total electrical energy change in electrical fractional order system.

Structural, qualitative and mathematical analogies: Theorems of mechanical energy change in dynamics of discrete fractional order system and of a multi-deformable body fractional order system

Dedicated to 80th Anniversary of
Tensor Society President-Professor-Scientist **Tomokai Kawaguchi**'s birthday

Katica R. (Stevanović) Hedrih,

Mathematical Institute SANU Belgrade, Department for Mechanics and Faculty of Mechanical Engineering, University of Niš, Serbia.
Priv. address: 18000-Niš, ul Vojvode Tankosića 3/22, Serbia, e-mail: khedrih@eunet.rs, khedrih@sbb.rs.

ABSTRACT. A series of theorems of mechanical energy change in dynamics of discrete fractional order system and of a multi-deformable body fractional order system are defined with corresponding proofs. Using structural, qualitative and mathematical analogies between mechanical chain system and electrical chain system the theorems of total mechanical energy change in mechanical fractional order system are presented as analogous with the theorems of total electrical energy change in electrical fractional order system.

Some of theorems for discrete fractional order system dynamics are:

Theorem 1: For a class of fractional order no conservative system dynamic, with n degrees of freedom, and defined by: matrix of inertia properties $\mathbf{A} = \left(a_{kj} \right)_{j=1,2,3,\dots,n}^{k=1,2,3,\dots,n}$, matrix of rigidity properties $\mathbf{C} = \left(c_{kj} \right)_{j=1,2,3,\dots,n}^{k=1,2,3,\dots,n}$, matrix of viscoelastic creep fractional order properties $\mathbf{C}_c = \left(c_{\partial,kj} \right)_{j=1,2,3,\dots,n}^{k=1,2,3,\dots,n}$ and matrix of viscoic linear properties $\mathbf{B} = \left(b_{kj} \right)_{j=1,2,3,\dots,n}^{k=1,2,3,\dots,n}$, rate of fractional order system total mechanical

energy $\mathbf{E} = \mathbf{E}_k + \mathbf{E}_p$ degradation is equal to negative sum of double Rayleigh function 2Φ and matrix product between velocity (\dot{x}) and first partial derivative $\frac{\partial \mathbf{P}}{\partial (\mathfrak{D}_t [x])}$ of generalized function of fractional order energy dissipation with respect to fractional order derivative $\mathfrak{D}_t [x]$.

$$\frac{d\mathbf{E}}{dt} = -2\Phi - \sum_{k=1}^{k=n} \sum_{j=1}^{j=n} \dot{x}_k \frac{\partial \mathbf{P}}{\partial (\mathfrak{D}_t [x_j])}, \quad \text{for } \neq 0 \text{ and } 0 < \leq 1 \quad (1)$$

For system with one degree of freedom previous relation (10) take the following form:

$$\frac{d\langle E_{kinet} + E_{pot} \rangle}{dt} = -2\Phi(\dot{u}) + Q_{frac}(\mathfrak{D}_t [u])\dot{u} \quad 0 < \leq 1 \quad (2)$$

or

$$\frac{d\mathbf{E}}{dt} = -2\Phi(\dot{u}) - \frac{\partial \mathbf{P}(\mathfrak{D}_t [u])}{\partial \langle \mathfrak{D}_t [u] \rangle} \dot{u} = -b\dot{u}^2 - b \mathfrak{D}_t [u]\dot{u} \quad 0 < \leq 1 \quad (3)$$

Theorem 2: For a class of fractional order no conservative system dynamic, with n degrees of freedom, and defined by: matrix of inertia properties $\mathbf{A} = (a_{kj})_{\substack{k=1,2,3,\dots,n \\ j=1,2,3,\dots,n}}^{\downarrow}$, matrix of rigidity properties $\mathbf{C} = (c_{kj})_{\substack{k=1,2,3,\dots,n \\ j=1,2,3,\dots,n}}^{\downarrow}$, matrix of viscoelastic creep fractional order properties $\mathbf{C}' = (c_{\partial,kj})_{\substack{k=1,2,3,\dots,n \\ j=1,2,3,\dots,n}}^{\downarrow}$ and matrix of viscoic linear properties $\mathbf{B} = (b_{kj})_{\substack{k=1,2,3,\dots,n \\ j=1,2,3,\dots,n}}^{\downarrow}$, with properties that both side product by modal matrix $\mathbf{R} = (\{K_{nk}^s\}) = (K_{nk}^s)_{\substack{s=1,2,3,\dots,n \\ k=1,2,3,\dots,n}}^{\downarrow}$ of corresponding linear system produce all system matrix in diagonal form: $\mathfrak{A} = \mathbf{R}'\mathbf{A}\mathbf{R} = diag(\tilde{a}_{ss})$, $\mathbf{C} = \mathbf{R}'\mathbf{C}\mathbf{R} = diag(\tilde{c}_{ss})$, $\mathbf{B} = \mathbf{R}'\mathbf{B}\mathbf{R} = diag(\tilde{b}_{ss})$, $\mathbf{C}' = \mathbf{R}'\mathbf{C}'\mathbf{R} = diag(\tilde{c}_{ss})$,

then rate of each system independent eigen main fractional order mode total mechanical energy $\mathbf{E}_s = \mathbf{E}_{kin,s} + \mathbf{E}_{pot,s}$ degradation is equal to negative sum of double Rayleigh function $2\Phi_s$ and matrix product between velocity \dot{x}_s and first partial derivative $\frac{\partial \mathbf{P}}{\partial (\mathfrak{D}_t [\dot{x}_s])}$ of generalized function of fractional order energy dissipation with respect to fractional order derivative $\mathfrak{D}_t [\dot{x}_s]$:

$$\frac{d\mathbf{E}_s}{dt} = -2\Phi_s - \frac{\partial \mathbf{P}}{\partial (\mathfrak{D}_t [\dot{x}_s])}, \quad \text{for } \neq 0, 0 < \leq 1, s = 1, 2, 3, \dots, n, \quad (4)$$

or in the form:

$$\frac{d\mathbf{E}_s}{dt} = -2\Phi_s - \tilde{c}_{ss} \mathfrak{D}_t [\dot{x}_s], \quad \text{for } \neq 0, 0 < \leq 1, s = 1, 2, 3, \dots, n \quad (5)$$

Hybrid system contains multi deformable bodies (beams, plates or membranes), same boundary conditions, coupled by discrete continuum layers. Discrete continuum layers are built by standard elastic and inertia properties and fractional order elements homogeneously distributed between each of two adjacent deformable bodies. During the dynamics of deformable bodies in transversal direction each of standard elastic, and inertia, and fractional order elements obtain extension or compression equal to difference between two displacements of the corresponding body points for which are coupled its ends: $\Delta w_{k+1,k}(x, y, t) = w_{k+1}(x, y, t) - w_k(x, y, t)$ for plates and membranes, and $\Delta w_{k+1,k}(x, t) = w_{k+1}(x, t) - w_k(x, t)$ for beams and belts. Energy analysis of dynamics of definrd multi-deformable body system with elastic, and translator ind rotator inertia properties, and fractional order discrete continuum layers is presented. Sries of theorems are defined and proofed. One of theorem is:

Theorem 3. Generalized forces $Q_{w_k}^{elem-sloja}$ and $Q_{w_{k+1}}^{elem-sloja}$ of interaction between two deformable bodies coupled by standard discrete continuum layer with known kinetic $\mathbf{E}_k^{elem-sloja}$ and potential $\mathbf{E}_p^{elem-sloja}$ energies and known Rayleigh function of energy dissipation $\Phi^{elem-sloja}$ and generalized function of fractional order element energy dissipation in the form:

$\Phi_{0<\alpha<1}^{element-layer} = \frac{1}{2} c_{0<\alpha<1(k,k+1)} [\mathfrak{D}_t [w_{k+1}(x, y, t) - w_k(x, y, t)]]^2$, where where $\mathfrak{D}_t [\bullet]$ is fractional order differential operator of the α^{th} derivative with respect to time t in the following form: $\mathfrak{D}_t [\bullet] = \frac{d [\bullet]}{dt} = \frac{1}{\Gamma(1-\alpha)} \frac{d}{dt} \int_0^t [\bullet] (t-\tau)^{-\alpha} d\tau$

$\Gamma(1-\alpha)$ is Euler Gama function, $c_{0<\alpha<1(k,k+1)}$ are rigidity coefficients expressing fractional order dissipation properties, and α a rational number between 0 and 1, $0 < \alpha < 1$, expressing dissipation properties of standard fractional order element, for generalized coordinates $w_k(x, y, t)$ and $w_{k+1}(x, y, t)$ displacement of deformable bodies at the point of contacts with discrete continuum elastic, inertia and fractionaL order layer are in the following forms:

$$Q_{w_k}^{elem-layer} = - \left\langle \frac{d}{dt} \frac{\partial \mathbf{E}_k^{elem-layer}}{\partial \left(\frac{\partial w_k(x, y, t)}{\partial t} \right)} - \frac{\partial \mathbf{E}_k^{elem-layer}}{\partial w_k(x, y, t)} \right\rangle - \frac{\partial \mathbf{E}_p^{elem-layer}}{\partial w_k(x, y, t)} - \frac{\partial \Phi^{elem-layer}}{\partial \left(\frac{\partial w_k(x, y, t)}{\partial t} \right)} - \frac{\partial \Phi_{0<\alpha<1}^{element-layer}}{\partial (\mathfrak{D}_t [w_k(x, y, t)])} = Q_{w_k(x, y, t)}^{elem-def.bodya} \quad (6)$$

$$Q_{w_{k-1}}^{elem-layer} = - \left\langle \frac{d}{dt} \frac{\partial \mathbf{E}_k^{elem-layer}}{\partial \left(\frac{\partial w_{k-1}(x, y, t)}{\partial t} \right)} - \frac{\partial \mathbf{E}_k^{elem-layer}}{\partial w_{k-1}(x, y, t)} \right\rangle - \frac{\partial \mathbf{E}_p^{elem-layer}}{\partial w_{k-1}(x, y, t)} - \frac{\partial \Phi^{elem-layer}}{\partial \left(\frac{\partial w_{k-1}(x, y, t)}{\partial t} \right)} - \frac{\partial \Phi_{0<\alpha<1}^{element-layer}}{\partial (\mathfrak{D}_t [w_{k-1}(x, y, t)])} = Q_{w_{k-1}(x, y, t)}^{elem-def.bodya}$$

expressed by energies and energy dissipation which posses discrete continuum layer.

Other theprems are related to the change: * of total mechanical energy of one eigen amplitude mode and generalized function of fractional order energy dissipation; * of a total mechanical energy of a eigen time mode of eihrn time function correspond to one eigen amplitude mode. Transiet of enegy between defrmable bodies in the hybrid system is analyzed.

Ttheorem 4. Change of total mechanicale energy of the multy bory fractional order system dynamics is equal to the power of dissipative forces and fractional order dissipative forces work along corresponding system displacements:

$$\frac{d(\mathbf{E}_{k,bodies} + \mathbf{E}_{p,bodies})}{dt} + \frac{d(\mathbf{E}_{k,layers} + \mathbf{E}_{p,layers})}{dt} = -2\Phi_{layers} - \sum_{k=1}^3 \frac{\partial \Phi_{0<\alpha<1}^{element-layer} (\mathfrak{D}_t [w_{k+1}(x, y, t) - w_k(x, y, t)])}{\partial (\mathfrak{D}_t [w_{k+1}(x, y, t) - w_k(x, y, t)])} (\dot{w}_{k+1}(x, y, t) - \dot{w}_k(x, y, t)) \quad (7)$$

Where

$$\mathbf{P}_{(0<\alpha<1)k,k+1} = \frac{\partial \Phi_{0<\alpha<1}^{element-layer} (\mathfrak{D}_t [w_{k+1}(x, y, t) - w_k(x, y, t)])}{\partial (\mathfrak{D}_t [w_{k+1}(x, y, t) - w_k(x, y, t)])} (\dot{w}_{k+1}(x, y, t) - \dot{w}_k(x, y, t)) \quad (8)$$

power of fractional order dissipative forces of a discrete continuum layer between two deformable bodies (plates,, or membranes, or beams) and along displacements of upper $w_k(x, y, t)$ and lower $w_{k+1}(x, y, t)$ body (plate or membrane); and $\mathfrak{D}_t [\bullet]$ is fractional order differential operator of the α^{th} derivative with respect to time t in the following form[4-11]:

$$\mathfrak{D}_t [\bullet] = \frac{d [\bullet]}{dt} = \frac{1}{\Gamma(1-\alpha)} \frac{d}{dt} \int_0^t [\bullet] (t-\tau)^{-\alpha} d\tau \quad (9)$$




Figure 1. Qualitative and mathematical analogous fractional order chains: a* mechanical fractional order chain system and b* electrical fractional order chain system as well as ; c* multi circular membrane and d* multi rectangular membrane system on the fractional order discrete continuum fundation.

Table 1. Qualitative and mathematical analogous fractional order system energies: a* mechanical fractional order system and b* electrical fractional order system

	Kinetic energy	Potential energy	Generalized function of fractional order energy dissipation	Energy relations in fractional order system
a*	For mass particles $2\mathbf{E}_k = (\dot{x})\mathbf{A}\{\dot{x}\}$ $2\mathbf{E}_k = \sum_{s=1}^{s=n} \dot{\eta}_s^2$ $\eta_s, s = 1, 2, 3, \dots, n$ eigen normal coordinates (modes) of displacements	For linear elastic springs $2\mathbf{E}_p = (x)\mathbf{C}\{x\}$ $2\mathbf{E}_p = \sum_{s=1}^{s=n} \omega_s^2 \eta_s^2$	Power of fractional order dissipative forces in standard fractional order elements $2\mathbf{P}_{\alpha \neq 0} = (\mathfrak{D}_t^\alpha \{x\})\mathbf{C}_\alpha \{\mathfrak{D}_t^\alpha \{x\}\}$ for $\alpha \neq 0, 0 < \alpha < 1$ $2\mathbf{P}_\alpha = \sum_{s=1}^{s=n} \omega_{(\alpha)s}^2 (\mathfrak{D}_t^\alpha [\eta_s])^2$ for $\alpha \neq 0, 0 < \alpha < 1$	System total mechanical energy rate $\frac{d\mathbf{E}}{dt} = -2\Phi - \sum_{k=1}^{k=n} \sum_{j=1}^{j=n} \dot{x}_k \frac{\partial \mathbf{P}_\alpha}{\partial (\mathfrak{D}_t^\alpha [x_j])}$ for $\alpha \neq 0, 0 < \alpha < 1$ Eigen main fractional order independent mode total mechanical energy rate $\frac{d\mathbf{E}_s}{dt} = -2\Phi_s - \dot{\xi}_{ss} \frac{\partial \mathbf{P}_\alpha}{\partial (\mathfrak{D}_t^\alpha [\xi_s])}$ for $\alpha \neq 0, 0 < \alpha < 1, s = 1, 2, 3, \dots, n$
b*	For inductors $2\mathbf{E}_k = (\dot{q})\mathbf{L}\{\dot{q}\}$ $2\mathbf{E}_k = \sum_{s=1}^{s=n} \dot{\eta}_s^2$ $\eta_s, s = 1, 2, 3, \dots, n$ eigen normal coordinates (modes) of electricity	For linear capacitors $2\mathbf{E}_p = (q)\mathbf{C}^*\{q\}$ $2\mathbf{E}_p = \sum_{s=1}^{s=n} \omega_s^2 \eta_s^2$	Power of fractional order dissipative electrical voltage in standard fractional order resistors $2\mathbf{P}_{\alpha \neq 0} = (\mathfrak{D}_t^\alpha \{q\})\mathbf{R}_\alpha \{\mathfrak{D}_t^\alpha \{q\}\}$ for $\alpha \neq 0, 0 < \alpha < 1$ $2\mathbf{P}_\alpha = \sum_{s=1}^{s=n} \omega_{(\alpha)s}^2 (\mathfrak{D}_t^\alpha [\eta_s])^2$ for $\alpha \neq 0, 0 < \alpha < 1$	System total electrical energy rate $\frac{d\mathbf{E}}{dt} = -2\Phi - \sum_{k=1}^{k=n} \sum_{j=1}^{j=n} \dot{x}_k \frac{\partial \mathbf{P}_\alpha}{\partial (\mathfrak{D}_t^\alpha [x_j])}$ for $\alpha \neq 0, 0 < \alpha < 1$ Eigen main fractional order independent mode total electrical energy rate $\frac{d\mathbf{E}_s}{dt} = -2\Phi_s - \dot{\xi}_{ss} \frac{\partial \mathbf{P}_\alpha}{\partial (\mathfrak{D}_t^\alpha [\xi_s])}$ for $\alpha \neq 0, 0 < \alpha < 1, s = 1, 2, 3, \dots, n$

$\Gamma(1 - \alpha)$ is Euler Gama function, and $c_{0(k,k+1)}$ and $c_{(k,k+1)}$ are rigidity coefficients – momentary (expressing ideal elastic properties) and prolonged one (expressing fractional order dissipation properties), and a rational number between 0 and 1, $0 < \alpha < 1$, expressing elastic and dissipation properties of standard fractional order element. $\tilde{\Phi}_{0<\alpha<1} = \frac{1}{2} c_{0<\alpha<1(k,k+1)} \{ \mathfrak{D}_t^\alpha [w_{k+1}(x, y, t) - w_k(x, y, t)] \}^2$ generalized function of fractional order discrete continuum layer energy dissipation for $0 < \alpha < 1$.

Acknowledgement. Parts of this research were supported by the Ministry of Sciences of Republic Serbia through Mathematical Institute SANU Belgrade Grants OI 174001 "Dynamics of hybrid systems with complex structures. Mechanics of materials", Faculty of Mechanical Engineering University of Niš.

References

- [1] Hedrih (Stevanović) K., (2013), Generalized function of fractional order dissipation of system energy and extended Lagrange differential equation in matrix form, *Dedicated to 86th Anniversary of Radu MIRON'S Birth. 30 minutes* Plenary Lecture, Abstracts of THE 13TH INTERNATIONAL CONFERENCE OF TENSOR SOCIETY ON DIFFERENTIAL GEOMETRY AND ITS APPLICATIONS, AND INFORMATICS BESIDES. Faculty of Mathematics, Alexandru Ioan Cuza University and Mathematical Institute "O.Mayer" in Iași Romania And Tensor Society, Japan, 2013, p.3. (Full paper submitted for publishing in the journal Tensor of Tensor Society, Japan.). <http://www.math.uaic.ro/~tensorconference2013/>.
- [2] O.A. Goroško and K.R. Hedrih (Stevanović), (2001), *Analitička dinamika (mehanika) diskretnih naslednih sistema*, (Analytical Dynamics (Mechanics) of Discrete Hereditary Systems), University of Niš, 2001, Monograph, p. 426, YU ISBN 86-7181-054-2.
- [3] O.A. Goroško and K.R. Hedrih (Stevanović), The construction of the Lagrange Mechanics of the discrete hereditary systems, FACTA UNIVERSITATIS, Series: Mechanics, Automatic Control and Robotics Vol. 6, № 1, 2007, pp. 16 - 22.
- [4] O.A. Goroško and K.R. Hedrih (Stevanović), (2008), Advances in development of the analytical dynamics of the hereditary discrete systems, Journal of Physics: Conference Series, 96 (2008) 012143, IOP Publishing.
- [5] K.R. Hedrih (Stevanović), The Dissipation Function of a Nonconservative System of Mass Particles, Tensor, N.S.,Vol.63, No.2(2002), pp.176-186. Tensor Society , Japan .
- [6] K. R. Hedrih (Stevanović), A. Filipovski., (2002), *Longitudinal Vibration of a Fractional Derivative Order Rheological Rod with Variable Cross Section*, Facta Universitatis, Series Mechanics, Automatic Control and Robotics, Vol. 3 No. 12, 2002. pp.327-350.
- [7] K.S. Hedrih (Stevanović) K., (2011), Analytical mechanics of fractional order discrete system vibrations. Chap in Monograph. Advances in nonlinear sciences, Vol. 3, JANN, Belgrade, pp. 101-148, 2011. ISSN: 978-86-905633-3-3.
- [8] K.R. Hedrih (Stevanović), (2008), The fractional order hybrid system vibrations, Monograph, Chap in Monograph. Advances in Nonlinear Sciences, ANN, 2008, Vol. 2, pp. 226-326.
- [9] K.R. Hedrih (Stevanović), (2004), *Discrete Continuum Method*, COMPUTATIONAL MECHANICS, **WCCM VI** in conjunction with **APCOM'04**, Sept. 5-10, 2004, Beijing, China, © 2004 Tsinghua University Press & Springer-Verlag, pp. 1-11, CD. IACAM International Association for Computational Mechanics – www. iacm.info
- [10] K.R. Hedrih (Stevanović), (2009), *Considering Transfer of Signals through Hybrid Fractional Order Homogeneous Structure, Keynote Lecture*, AAS-09, Ohrid, Makedonija, posvecen profesoru Pane Vidincevu, prvom profesoru automatike i rachnarskih mashina u Makedoniji Special session, Applied Automatic Systems , Proceedings of selected AAS 2009 Papers. Edited by G. Dimirovski, Skopje –Istambul , 2009, ISBN -13-978-9989-2175-6-2, National Library of R. Makedonia, Skopje, Copyright©2009 Authors and ETAI Society, pp. 19-24.
- [11] K. R. Hedrih (Stevanović), J. Tenreiro Machado, (2014), Discrete fractional order system vibrations, *Preprint submitted to International Journal Non-Linear Mechanics (January 6, 2014)*
- [12] A. N. Hedrih, K.R. Hedrih(Stevanović), (2013), Modeling Double DNA Helix Main Chains of the Free and Forced Fractional Order Vibrations, Chapter in Book Advanced topics on fractional calculus on control problem, modeling, system stability and modeling, Editor M. Lazarević, (2013), pp. 145-183 and Appendix pp. 192-200. . WORLD SCIENTIFIC PUBLISHING COMPANY PTE LTD
- [13] K. R. Hedrih (Stevanović), (2013), Fractional order hybrid system dynamics, PAMM, Proc. Appl. Math. Mech. 13, 25 – 26 (2013) / DOI 10.1002/pamm.201310008
<http://onlinelibrary.wiley.com/doi/10.1002/pamm.v13.1/issuetoc>
- [14] K. R. Hedrih (Stevanović), (2013), Generalized function of fractional order dissipation of system energy and extended Lagrange differential equation in matrix form, *Dedicated to 86th Anniversary of Radu MIRON'S Birth. 30 minutes*, Plenary Lecture, Abstracts of THE 13TH INTERNATIONAL CONFERENCE OF TENSOR SOCIETY ON DIFFERENTIAL GEOMETRY AND ITS APPLICATIONS, AND INFORMATICS BESIDES., *The 86th Anniversary of Radu MIRON'S Birth*. September 3rd (Tuesday) to September 7th (Saturday) in 2013. Faculty of Mathematics, Alexandru Ioan Cuza University and Mathematical Institute "O.Mayer" in Iași Romania And Tensor Society, Japan, 2013, p.3. (paper submitted for publishing in the journal Tensor of Tensor Society, Japan.)
<http://www.math.uaic.ro/~tensorconference2013/>
- [15] K. R. Hedrih (Stevanović), A. N. Hedrih, Phenomenological mapping and dynamical absorptions in chain systems with multiple degrees of freedom, Journal of Vibration and Control 1077546314525984, first published on March 19, 2014 as doi:10.1177/1077546314525984
- [16] Petrović, M., Fenomenološko preslikavanje (Phenomenological mapp), Srpska kraljevska akademija, Beograd, 1933. str. 33.
- [17] Petrović, M., Elementi matematičke fenomenologije (Elements of mathematical phenomenology), Srpska kraljevska akademija, Beograd, 1911. str. 789.
<http://elibRARY.mATF.bg.ac.rs/handle/123456789/476?locale-attribute=sl> [20] D. Rašković, Teorija oscilacija (Theory of Oscillations), Naučna knjiga, 1952.
- [18] D. P.Rašković, Analitička mehanika (Analytical Mechanics), Mašinski fakultet Kragujevac, 1974.

- [19] Rosikin Yuri and Maria Shitikova: (2010), Application of Fractional Calculus for Dynamic Problem of Solid Mechanics, Novel Trends and Resent Results, Applied Mechanics Reviews, American Society of Mechanical Enginewers –ASME, JANUAR 2010, Vol. 63/ pp. 010801-1 - 010801-52.
- [20] Rosikin Yuri and Maria Shitikova:, (2002), Applications of fractional calculus to dynamic problems of linear and nonlinear hereditary mechanics of solids, Transmitted by Associate Editor Isaac Elishakoff, ASME Reprint No AMR202 \$42, Appl Mech Rev vol 50, no 1, January 1997 15 © 1997 , American Society of Mechanical Engineers Downloaded, pp. 15-67.
- [21] Rossikhin Yuriy A., (2010), Reflections on Two Parallel Ways in the Progress of Fractional Calculus in Mechanics of Solids, Applied Mechanics Reviews, Copyright © 2010 by ASME JANUARY 2010, Vol. 63 / 010701-1, pp. / (010701-1)-/(010701-12).
- [22] Mechanics Colloquium, Mathematical Institute SANU, Belgrade , lectures by K.R. Hedrih (Stevanović), (2009-13),
<http://www.mi.sanu.ac.rs/colloquiums/mechcoll.htm>






THE 14th INTERNATIONAL CONFERENCE OF TENSOR SOCIETY ON DIFFERENTIAL
GEOMETRY AND ITS APPLICATIONS, AND INFORMATICS BESIDES
Organized by Tensor Society and University of Tsukuba for mutual Progress,
Held at Tsukuba, on Japan, Sept. 7-12, 2015















IMPALA
KUMODRASKA 10
BEOGRAD
TELEPHONE: 381 11 2497 882
FAX: 381 11 309 6428
EMAIL: INFO@IMPALAYU.COM

BOOKING REF: YI4J62
DATE: 28 JULY 2015

HEDRIH/KATICA MRS

FLIGHT JU 310 - AIR SERBIA SUN 06 SEPTEMBER 2015

DEPARTURE: **BELGRADE, RS (NIKOLA TESLA), TERMINAL 2** 06 SEP 06:40
ARRIVAL: **PARIS, FR (CHARLES DE GAULLE), TERMINAL 2D** - 06 SEP 09:15

AEROGARE 2 TERMINAL D
FLIGHT BOOKING REF: JU/YI4J62 LAST CHECK IN TIME: 05:55
RESERVATION CONFIRMED, ECONOMY (L) DURATION: 02:35

BAGGAGE ALLOWANCE: 1PC
SEAT: **05B CONFIRMED FOR HEDRIH/KATICA MRS**
MEAL: MEAL
WHEELCHAIR-FOR RAMP CONFIRMED

NON STOP BELGRADE TO PARIS
OPERATED BY: AIR SERBIA, JU
EQUIPMENT: AIRBUS INDUSTRIE A320-100/200

FLIGHT AF 272 - AIR FRANCE SUN 06 SEPTEMBER 2015

DEPARTURE: **PARIS, FR (CHARLES DE GAULLE), TERMINAL 2E** - 06 SEP 11:05
AEROGARE 2 TERMINAL E

ARRIVAL: **TOKYO, JP (TOKYO INTL HANEDA), TERMINAL I** - 07 SEP 06:00
INTERNATIONAL TERMINAL
FLIGHT BOOKING REF: AF/YI4J62 LAST CHECK IN TIME: 10:05
RESERVATION CONFIRMED, ECONOMY (T) DURATION: 11:55

BAGGAGE ALLOWANCE: 1PC
SEAT: **38K CONFIRMED FOR HEDRIH/KATICA MRS**
MEAL: SNACK/MEAL
WHEELCHAIR-FOR RAMP CONFIRMED

NON STOP PARIS TO TOKYO
OPERATED BY: AIR FRANCE, AF
EQUIPMENT: BOEING 777-200/200ER

FLIGHT AZ 787 - ALITALIA S.A.I. S.P.A. SUN 20 SEPTEMBER 2015

DEPARTURE: **TOKYO, JP (NARITA INTL), TERMINAL 1** 20 SEP 13:00
ARRIVAL: **MILAN, IT (MALPENSA), TERMINAL 1** 20 SEP 18:30

FLIGHT BOOKING REF: AZ/MXR7SR
RESERVATION CONFIRMED, ECONOMY (X) DURATION: 12:30

BAGGAGE ALLOWANCE: 2PC
SEAT: **23K CONFIRMED FOR HEDRIH/KATICA MRS**
WHEELCHAIR-FOR RAMP CONFIRMED

NON STOP TOKYO TO MILAN
OPERATED BY: ALITALIA S.A.I. S.P.A., AZ
EQUIPMENT: BOEING 777-200/200ER

FLIGHT AZ 7076 - ALITALIA S.A.I. S.P.A. SUN 20 SEPTEMBER 2015

DEPARTURE: **MILAN, IT (MALPENSA), TERMINAL 1** 20 SEP 20:55
ARRIVAL: **BELGRADE, RS (NIKOLA TESLA)** 20 SEP 22:35

FLIGHT BOOKING REF: AZ/MXR7SR
RESERVATION CONFIRMED, ECONOMY (X) DURATION: 01:40

BAGGAGE ALLOWANCE: 2PC
WHEELCHAIR-FOR RAMP CONFIRMED

NON STOP MILAN TO BELGRADE
OPERATED BY: AIR SERBIA, JU 545
EQUIPMENT: AIRBUS INDUSTRIE A319

FLIGHT TICKET(S)

TICKET: AF/ETKT 057 9340299346-47 FOR HEDRIH/KATICA MRS

GENERAL INFORMATION

CHECK YOUR TRIP ONLINE

<https://www.checkmytrip.com/CMTServlet?R=YI4J62&L=US&N=HEDRIH>

T. Kawaguchi<tensor-ns@nifty.ne.jp>;

From: [T. Kawaguchi](#)
Sent: Monday, August 31, 2015 11:50 PM
To: [Katica Hedrih](#)
Cc: [T. Kawaguchi](#)
Subject: Re: Address in Japan

Tsukuba, Sept. 1, 2015

Dear Professors Hedrih and Prvanovic,

Thank you for your kind message. I and my wife Akemi are good health.
In Tokyo, we have arranged that you with your grand daughter and Mrs. Prvanovic
together will stay in my apartment at Tokyo:

Komagome 1-3-5-302, Toshima-ku, Tokyo.

**Tel. 81-03-3947-3910, Mobil Phone: 090-9150-4681 (Tomoaki), 090-8486-7413 (Akemi),
81 means Japanese country code, 03 means Tokyo code.**

**My apartment is not so large, but it is in center of Tokyo, and very near Komagome
Station (JR rail way, Yamanote line).**

During conference, you can put big luggage etc.

**In Tsukuba, we also arranged Guest House of Univ. of Tsukuba,
Room No. 407, for Mrs. Prvanovic, Tel. 029-853-8707 (direct),
Room No. 408(twin), for you and Grand daughter, Tel. 029-853-8708 (direct)
Room No. 406 (twin), for I and my brother, Tel. 029-853-8706 (direct).**

On 7th Sept., my wife Akemi will pick up you and Prof. Prvanovic at
Tokyo Haneda airport, after then will go to my apartment. After some rest there,
evening, **Prof. H. Endo and Prof. T. Kashiwada** will guide and accompany all member
to Univ. of Tsukuba.

All member: Prof. Prvanovic, Prof. Hedrih and Miss Mihaela, Dr. Zerrin Senturk.

Looking forward to seeing soon, Sincerely yours,
Tomoaki KAWAGUCHI and Akemi KAWAGUCHI

Tensor Calculus in Yugoslavia and Serbia: Academician Tatomir P. Andjelić (1903-1993) and Prof. Dr. Ing. Dipl. Math. Danilo P. RAŠKOVIĆ (1910-1985)


MATHEMATICAL INSTITUTE

MATHEMATICAL INSTITUTE



Hedrih (Stevanović) R. Katica

Mathematical Institute SANU Belgrade,
and Faculty of Mechanical Engineering University of Niš, Serbia



Beograd, 20.X.1984.

Draga Katica,

Izjava Vam na poslatoj kopiji prihvatanja recenzije kollega recenzentata. Taj akt i onaj prethodni kopirao sam i u narediu rukopisu, kako traži "svetla knjiga". Sada su mi mnogo mnogeti spremnjeni za sajam knjige, pa sam pregled rukopisa i sve što ide u to ostaviti za početak novembra. Dao sam crteže im. Vidiću, pa će i oni biti vjerovatno i gotovi.

Kad sam bio kod "Svetla knjige" uspeo sam da od njih dobijem jedan primjerak "Zbirke zadataka" /iz učionice bibliotekom/. Iako smo sredili i ušli stvar da Vas ne možite više, niti da molite Milku u moje ime. Priznajem da sam Vas mogao nagnjivati sa ovim poslovima, ali što date, Vi ste mi jedina istinitost i pomoć. Još jednom velikim Vam hvala.

Kako ste Vi? Imate li mnogo posla? Sigurno, da imate, tako je takvo, nikad nira. Kako je gospodin Vlastimir je već veliki konac. Poljubite ga.

Primite mnoge pozdrave od moje supruge.
Ur zahtinešt, mnogo, mnogo teglih pozdrava
Vas

Andrić
Danilo Rašković



Beograd, 16.08.'84

Draga Katica,

Juče sam bio kod "Svetla knjige", pre nisan mogao, jer su bili na odmoru. Iako su kollegi Andelija i Brđić bili vrlo agilni, referat/recenzija je morao da ješka. Kao što vidite recenzija je perfektna. Rukopis se mnogo svisti kollegi Brđiću. Prof. Andelija nisan video, bio je malo bolestan. Sada je sve u redu.

"Svetla knjige" je sedmala rukopis radi detaljnog pregleda i voljna je da ga štampa u 2000 primjeraka /u obilježenjima ekonomsko opravdani tiraš/. Litografisanje ne dolazi u obzir zbog vrlo komplikovanog tektata i nerentabilnosti.

Oni smatraju

1. da MF u Nišu treba da plati honorar recenzenta,

2. da pisac predstavi crtež u tisku ne pauzu ili nemaju radi klijiranja,

3. da novčana ponuda MF iz Niša može da se ostvari na dva načina

a/ dodjeljivanjem "Knjizi bez provrste" sume novca radi smanjenje prodajne cene knjige,

b/ zagrančovanog otkupa izvezne količine knjiga.



Oni će da izvrše kalkulaciju, pa mole da ih MF investi. Obaveštenje je najbolje poslati #K.

Kako ste Vi u Vaši? Jeste li se dobro odmorili? Mnogi se hvale kako im je bilo dobro u Grčkoj.

Zurav, i izvinjavam se za eventualne greške. Želim da poslajem dokumenta.

Građan pošdrav

Andrić
/prof. Rašković/



Tensor Calculus
Academicina Tatomir P. Andjelić (1903-1993) ,
Professor Dr. Akitsugu Kawaguchi (1972- 1902) and
Prof. Dr. Ing. Dipl. Math. Danilo P. RAŠKOVIĆ (1910-1985)

Hedrih (Stevanović) R. Katica
 Mathematical Institute SANU Belgrade,
 and Faculty of Mechanical Engineering University of Niš, Serbia

Mathematical Institute SANU Belgrade

Faculty of Mechanical Engineering University of Niš, Serbia

Diagram illustrating Tensor Components:

The diagram shows a central point O representing the origin of a coordinate system. It illustrates the decomposition of a tensor component a_{ij} into components relative to two different sets of basis vectors, $\{e_i\}$ and $\{e'_i\}$, and their dual bases $\{e_j\}$ and $\{e'_j\}$. The components are labeled as $a_{ij} = a_{ij}^{(1)} + a_{ij}^{(2)}$ and $a_{ij} = a_{ij}^{(1)} + a_{ij}^{(2)}$.


Books and Documents:

- Mathematische Hilfsmittel des Ingenieurs** (Herausgeber von R. Sauer, I. Szabó)
- Tensorkalkül und Anwendungen** (Von Tatomir P. Andjelić, Beograd)
- OSNOVI TENZORSKOG RAČUNA** (J. Rašković, Beograd)
- TEORIJA ELASTICNOSTI** (J. Rašković, Beograd)
- FIZICOVOD** (J. Rašković, Beograd)
- Tensor Calculus** (H. Kawaguchi, Springer-Verlag Berlin Heidelberg New York 1968)
- TENSOR** (H. Kawaguchi, Springer-Verlag Berlin Heidelberg New York 1972)
- Tensor Calculus Conference Tokyo 2015** (Cover of the conference proceedings)
- Tensor Society Conference, Tokyo, 7-12th September 2015** (Cover of the conference proceedings)

Tensor Society Conference, Tokyo, 7-12th September 2015

Organized by the Faculty of "Mihajlo Čekić" in 100 years GICA

Mathematical Institute SANU



Tensor Society and Journal Tensor

Professor Dr. Tomoaki Kawaguchi,

President of Tensor Society and Edito-in-Chief




Serbian Scientific Society



Hedrih (Stevanović) R. Katica

Mathematical Institute SANU Belgrade,

and Faculty of Mechanical Engineering University of Niš, Serbia



MATHEMATICAL
INSTITUTE



Tensor Society Conference, Tokyo, 7-12th September 2015

Mathematical
Institute
SANU